

# 进口食品级PVC钢丝软管 FPSD

产品名称	进口食品级PVC钢丝软管 FPSD
公司名称	上海存筒流体技术有限公司
价格	30.00/米
规格参数	品牌:VI 型号:FPSD 产地:意大利
公司地址	上海松江区荣乐东路2369弄1号楼409室
联系电话	021-57712166 13482806165

## 产品详情

### 食品级PVC钢丝软管 FPSD

APPLICATIONS:ideal solution for suction and delivery of food liquids, beverages, fruit juices, wine and liquors with up to 20% alcohol concentration. Features: flexible hose produced with Biovinyl and reinforced with steel spiral. Completely free of phthalates. Resistant to several chemicals and to weather conditions. Colour: transparent with steel spiralTemperature range: -10 ° C + 60 ° CStandards: FDA, EU10/2011

使用范围：液体食品、果汁、一般水性食品的排吸。适用于酒精度不大于20%液体的输送。特性：采用BIO-VINYL环保型PVC原料，带螺旋钢丝加强。完全不添加邻苯二甲酸或其他合成增塑剂。颜色：透明温度：-10 ° C ~ + 60 ° C

认证：FDA, EU10/2011

编码

内径

外径

弯曲半径

工作压力

爆破压力

真空度

重量

每卷长度

inch

mm

mm

mm

bar

bar

kg/m

m

FPSD006

1/4"

6

12.2

30

5

25

0.92

0.13

60

FPSD008

5/16"

8

14.2

40

5

25

0.92

0.16

60

FPSD010

3/8"

10

16

50

7

35

0.82

0.19

FPSD012

12

18

50

7

35

0.82

0.21

FPSD013

1/2"

13

19

60

0.22

FPSD014

14

20

60

0.23

FPSD016

5/8"

16

22.4

70

0.28

FPSD018

18

24.4

80

6

30

0.30

FPSD020

3/4"

20

27

90

6

30

0.36

FPSD022

7/8"

22

29

100

0.39

FPSD025

1"

25

33

110

0.51

FPSD030

30

38

140

0.60

FPSD032

1-1/4"

32

40.4

140

0.67

FPSD035

35

43.4

160

0.71

FPSD038

1-1/2"

38

47

170

0.81

30

FPSD040

40

49.2

180

0.88

30

FPSD045

1-3/4"

45

54.8

200

4

20

0.77

1.14

FPSD050

50

60

230

4

20

0.77

1.28

FPSD051

2"

50.8

60.8

230

1.30

FPSD060

60

71.8

270

3.5

17.5

1.75

FPSD063

2-1/2"

63

74.8

280

3.5

17.5

1.83

FPSD070

70

82

320

0.68

2.07

FPSD076

3"

76

88.2

340

0.68

2.28

FPSD080

80

92.2

360

2.40

20

FPSD090

3-1/2"

90



103

410

3

15

3.03

20

FPSD102

4"

102

115

460

2

10

3.49

FPSD105

105

118

470

2

10

3.60

FPSD110

110

127.4

550

1.6

8

0.87

4.77

FPSD120

120

137.4

600

1.2

6

0.87

5.17

FPSD127

5"

127

144.4

640

1.2

6

5.47

FPSD151

6"

151

169.6

760

6.86