

安德森耐格压力变送器HH309G160A0N000 , HH062G004A0N100

产品名称	安德森耐格压力变送器HH309G160A0N000 , HH062G004A0N100
公司名称	北京域能汇通科技有限公司
价格	3333.00/个
规格参数	品牌:Negele 型号:HH309G160A0N 产地:德国
公司地址	北京市朝阳区立清路8号3-2205
联系电话	86-010-65911327-101 18614088757

产品详情

安德森耐格压力变送器HH309G160A0N000 , HH062G004A0N100,HH286G160A0N000 , Anderson-Negele

HH 紧凑型压力变送器

安德森耐格“HH”系列紧凑型卫生级压力变送器专为饮料及乳品行业而开发，非常适合OEM装置上的苛刻环境和狭小管道间隙。尽管作为经济型OEM变送器的替代

产品而设计，但该系列丝毫未降低我们对精度、使用寿命和坚固性的一贯追求。和安德森耐格变送器家族的其他产品一样，“HH”系列采用全灌封电路和重型焊接不

锈钢外壳，与外界环境完全隔绝。它以卫生型设计为出发点，同时仍可承受不利的潮湿环境，不是一款只具光亮外表的卡盘焊接式或螺纹安装式工业传感器。

该产品的设计也很简单易用。O形圈密封盖下方设有测试点，可以直接连接仪表来验证输出而不必打断工艺过程。零点和量程校准采用传统的电位计，操作十分直观，无需查阅说明书或记住菜单序列。过程接线如同将插头插入插座一样简单。凭

借简单、卫生、坚固、防水等诸多优点，“HH”系列将我们的卫生源于设计理念引入经济型压力变送器领域。

特点

- 焊接不锈钢外壳造就市面上最短的卫生型变送器
- 提供自定义校准

- 测试点和校准电位计实现直观调节
- 使用快速断开接头为回路供电，简化安装
- NEMA 4X以及IP66/67防护等级，可耐受最苛刻的环境条件
- 符合3A标准，通过第三方认证

应用

- 卫生型压力管线
- 食品和饮料加工
- 卫生过滤
- 酿酒生产线

7544.17001 DAN-HH/TC1,5/7REL/M12 NEGELE压力传感器 0...7 BAR RELATIVE PROCESS CONNECTION TRI-CLAMP 1/1.5, FRONT FLUSH OU

7544.30001 DAN-HH/TC1,5/20REL/M12 NEGELE压力传感器 0...20 BARRELATIVE PROCESS CONNECTION TRI-CLAMP 1/1,5 FRONT FLUSH O

[FREE SUPPLY - FOC ITEM] 987659 AIR PRESSURE VALVE HH 2 LW 13

NEGELE压力传感器 1&1 3 BAR RELATIVE DAN-HH/TC1,5/-1...13/M12

NEGELE压力传感器 7 BAR RELATIVE PROCESS CONNECTIONDET.AS PER INV. MAT.NO:7544.17000 PART NO:DAN-HH/S/7REL/M12

NEGELE压力传感器 7 BAR RELATIVE PROCESS CONNECTION G1 CLEANDET.AS PER INV. PART NO:DAN-HH/S/7REL/M12 MAT.NO:7544.17000

耐格紧凑型压力变送器 DAN-HH/S/7REL/M12DET.AS PER INV. MAT.NO.7544.17000

PRESSURE SWITCH (ITEM NO-E1H-H500-P4)

耐格紧凑型压力变送器 DAN-HH/S/14REL/M12RENG: 0...10 BAR REL MATERIAL NO.7544.24000

COMPACT PRESSURE TRANSMITTEER DAN-HH/S/14REL/M12RENG:0...10 BAR REL MAT.NO.7544.24000

DAN-HH/S/14REL/M12 NEGELE压力传感器 14 BAR RELATIVE (MEASURING INSUTRUMENTS)

HAND HELD UNIT HH-UNIT GENERIC (L14942-M30) (COO:FI) (SPAREPART FOR PRESSURE FILTER)

耐格紧凑型压力变送器DAN-HH/S/14REL/M12 RANG: 0...10 BAR REL MAT. NO.7544.24000

7544.1700 DAN-HH/TC1.5/7REL/M12 RANGE:0...7 BAR REL NEGELE压力变送器

7544-06001 DAN-HH/TC1,5/..1..6REL/M12 NEGELE压力变送器

7544.24000 DAN-HH/S/14REL/M12 RANGE :0...10 BAR REL (耐格紧凑型压力变送器)

(P.N.27000994) HIGH PRESSURE FILTER HH4510C12KPRBMH (COUNTRY OF ORIGIN: UNITED KINGDOM) (SPARE PARTS FOR MICRO TUNNELLIN

NEGELE压力变送器 (DAN-HH)

MECHANICAL PRESSURE SWITCH 0403-080 E1H-H250-P4(MEASURING / CHECKING INSTRUMENTS FOR LIQUID/AIR/GAS)

1024838 PRESSURE SWITCH E1H-H15

SCTDR--HH2506B872B PRESSURE SWITCH

7544.17000 DAN-HH/S/7/REL/M12 NEGELE压力传感器 7 BAR RELATIVE(AS PER INVOICE)

7544.24000 DAN-HH/S/14REL/M12 NEGELE压力传感器 14 BAR RELATIVE (AS PER INVOICE)

74162.02014-P TFP-162P/020/4MM/4MM/MPU/MBO-150 耐格温度传感器 1XPT100,CLASS A LENGTH 20MM,DIAMETER 4MM SENSOR TIP 4MM WITH

X96998306 耐格温度探头 TFP-162/017

74162.0214 TFP-162/020/4MM/4MM/MPU/ MBO -150, Anderson-Negele温度传感器 1XPT100 CLASS A LENGHT 20MM DIAMETER 4MM SENSOR TIP 4MM [FOR

74162.03014-MPU-MA TFP-162/030/4MM/4MM/MPU Negele温度传感器 1XPT 100

74162.05014-MPU-MA TFP-162/050/4MM/4MM/MPU Negele温度传感器 1XPT100

74162.0314 TFP-162/030/4MM/4MM/MPU, PT100 CLASS A, LENGTH 30MM D=4MM WITH M12-PLUG WITH INTEGRATED 耐格温度变送器 MPU-M

74162.0314 TFP-162/030/4MM/4MM/MPU PT100 CLASS A, LENGTH 30MM D=4MM WITH M12-PLUG WITH INTEGRATED 耐格温度变送器 PROCESS CO

74162.05014,TFP-162/050/4MM/4MM/MPU/MB0-150, 安德森耐格温度传感器 1XPT100 CLASS A

74162.04014,TFP-162/040/4MM/4MM/MPU/MB0-150,安德森耐格温度传感器 1XPT100,CLASS A

74162.06014,TFP-162/060/4MM/4MM/MPU/MB0-150,安德森耐格温度传感器 1XPT100, CLASS A

74162.0314,TFP-162/030/4MM/4MM/MPU/MB0-150, PT100 CLASS A Anderson-Negele温度传感器

74162.03514,TFP-162/035/4MM/4MM/MPU/MB0-150,安德森耐格温度传感器 1XPT100,CLASS A

74162.0214 TFP-162/020/4MM/4MM/MPU 耐格温度传感器 1XPT100, CLASS A LENGTH 20 MM, DIAMETER 4 MM SENSOR TIP 4 MM WITH INTEGRA

74162.0214 TFP-162/020/4MM/4MM/MPU Anderson-Negele温度传感器 1XPT100 CLASS A LENGHT 20MM
DIAMETER 4MM SENSOR TIP 4MM

74162.0314 TFP-162/030/4MM/4MM/MPU 耐格温度传感器

74162.04014 TFP-162/040/4MM/4MM/MPU 耐格温度传感器

74162.07014 TFP-162/070/4MM/4MM/MPU 耐格温度传感器

74162.0204 TFP-162/020/4MM/4MM 耐格温度传感器 1XPT100, CLASS A LENGTH 20 MM, DIAMETER 4 MM
SENSOR TIP 4 MM FOR CONNECTION OF

(安德森耐格温度传感器) TFP-162/030/4MM/4MM/MPU PT100 CLASS A

74162.03514 TFP-162/035/4MM/4MM/ MPU Negele温度传感器

74162.06014 TFP-162/060/4MM/4MM/MPU Negele温度传感器

TFP-162/030/4MM/4MM/MPU PT 100 CLASS A WITH INTEGRATED 耐格温度变送器 (QTY:2 PCS)

TFP-162/030/4MM/4MM/MPU PT100 CLASS A WITH INTEGRATED 耐格温度变送器 PROCESS
CONNECTION M12X1,5 HYG - 74162.0314

Negele温度传感器 1XPT100, CLASS A WITH INTEGRATED 耐格温度变送器
-TFP-162/075/6MM/6MM/MPU - 74162.07511

耐格温度传感器 1XPT100, CLASS A WITH INTEGRATED 耐格温度变送器 - TFP-162/040/4MM/4MM/MPU
- 74162.04014

TEMP, SENSOR 1XPT100, CLASS A WITH INTEGRATED 耐格温度变送器 -TFP-162/055/4MM/4MM/MPU -
74162.5514

74162.0214 TFP-162/020/4MM/4MM/MPU Negele温度传感器 1XPT100, CLAS A LENGTH 20 MM,
DIAMETER 4 MM SENSOR TIP 4 MM WITH INTEGRA

74162.02014-P TFP-162P/020/4MM/4MM/MPU 耐格温度传感器 1XPT100,CLASS A LENGTH 20 MM,
DIAMETER 4 MM SENSOR TIP 4 MM 1 INTEGRA

TFP -162/030/4MM/MPU PT100 CLASS A (SENSOR) (74162.0314)

74162.0314 TFP-162/030/4MM/4MM/MPU - PT100 CLASS A LENGTH 30MM D=4MM WITH M12-PLUG
WITH INTEGRATED 耐格温度变送器 PROCESSOR

74162.0314 TFP-162/030/4MM/4MM/MPU PT10 CLASS A LENGTH 30MMD=4MM WITH M12-PLUG WITH
INTEGRATED 耐格温度变送器 PROCESS CONN

74162.03514 TFP-162/035/4MM/4MM/MPU Negele温度传感器

74162.0314 TFP-162/030/4MM/4MM/MPU Negele温度传感器

TFP-162P/030/4MM/MPU-RA0.4 耐格温度传感器 1XPT100, CLASS A 74162.03014-P-04

X96998306 耐格温度探头_TFP-162/017

安德森耐格温度传感器 TFP-162/017/4MM/4MM/MPU 耐格温度传感器 1XPT100, CLASS 1/10B DET. AS PER INVOICE MAT.NO.74162.1714

74162.0214, TFP-162/020/4MM/4MM/MPU Negele温度传感器 1XPT100 CLASS A, LENGTH 20MM, DIAMETER 4 MM, SENSOR TIP 4 MM WITH INTEG

(FOC) 74162.03514-H TFP-162/035/4MM/4MM/4MM/MPU/H 安德森耐格温度传感器

74162.0314 TFP-162/030/4MM/4MM/MPU 安德森耐格温度传感器

74162.03514 TFP-162/035/4MM/4MM/MPU 安德森耐格温度传感器

74162.04014 TFP-162/040/4MM/4MM/MPU 安德森耐格温度传感器

74162.05014 TFP-162/050/4MM/4MM/MPU 安德森耐格温度传感器

安德森耐格温度传感器 TFP-162/017/4MM/4MM/MPU -50...+ 150 CMAT. NO.74162.1714

安德森耐格温度传感器 TFP-162/150M/6MM/3MM/MPU PT100.LENGTH 150DET. AS PER INVOICE MAT.NO.74160.1513

X-6998306 耐格温度探头 TFP-162/017

DAC-341/20.0/ABS

DAN-HH/S/14REL/M12/0-10BAR

DEM-49-SV/230VAC

DPM-PT/230VAC

ITM-2

MAN-63/tc3/4"/0-7bar/L

MAN-90/TC1"/0-11bar/L

MAN-90/TC1"/0-11bar/O

NVS-061/M

TFP-161/050/6MM/6MM/MPU/0-150

TFP-161/050/6MM/6MM/MPU/0-160

TFP-162P/017/-50-250

TFP-181/100/MPU/0-150

TFP-181/200/M/0-100

TFP-40/250/6MM/6MM

VTR-PT-SA/0-100

VTR-PT/0-200

FWS-141

LCN6160100000000

MNV-1C

NEGELE NCS-11/NPN

NEGELE NSK-358/1200/O

NEGELE NVS-143/500

NEGELE NVS-146/500/M

NVS-161/M

TFP-162/040/4MM/4MM/MPU/0-150

TFP-169/060/6MM/6MM/MPU/-10-40

NEGELE DAC-341/0.4REL

NEGELE DAC-341/2.0REL

EHG-ISO-80/1"

EP069G01000411

HH062G005A0A000

TFP-162/020/6MM/6mm/-50-250

MAN-90/TC"/-1~4BAR

DAC-341/10bar

TFP-162/020/4MM/4MM/0-100

ANDERSON HTS1000

NVS系列型号：

NVS-141/100/M/H/X/M12 NVS-141/200/M/X/X/M12 NVS-041/100/M/X/M12

NVS-161/100/M/H/X/M12 NVS-181/200/M/H/X/M12 NVS-081 NVS-061

制药级NCS系列

NCS-01P/PNP/H/KF/M12 NCS-02P/PNP/H/KF/M12 NCS-06P/PNP/H/KF/M12

NCS-68P/PNP/H/KF/M12 NCS-08P/PNP/H/KF/M12

NCS系列型号：（NWM系列）

NCS-01/PNP/H/KF/M12 对应老型号：NWM-041/PNP/H/KF/M12

NCS-11/PNP/X/X/M12 NWM-141/PNP/X/X/M12

NCS-02/PNP/X/KF/M12 NWM-042/PNP/X/KF/M12

NCS-12/PNP/H/KF/M12 NWM-142/PNP/H/KF/M12

NCS-L-11-50/PNP/X/KF/M12 NWM-L-141-50/PNP/X/KF/M12

TFP-161/050/6MM/6MM/MPU/0-150

TFP-161/050/6MM/6MM/MPU/0-160

TFP-162P/017/-50-250

TFP-181/100/MPU/0-150

TFP-181/200/M/0-100

VTR-PT-SA/0-100

VTR-PT/0-200

LCN616

NEGELE NCS-11/NPN

NEGELE NSK-358/1200/O

NEGELE NVS-143/500

NEGELE NVS-146/500/M

TFP-162/040/4MM/4MM/MPU/0-150

TFP-169/060/6MM/6MM/MPU/-10-40

NEGELE DAC-341/0.4REL

NEGELE DAC-341/2.0REL

TFP-162/020/6MM/6mm/-50-250

TFP-162/020/4MM/4MM/0-100

ANDERSON HTS1000

NCS-11/NMW-141 Negele液位开关

NCS-12/PNP/H/KF/M12 NCS-11 M-142/PNP/H/KF/M12

NCS-L-11-100/PNP/H/KF/M12 NWM-L-141-100/PNP/H/KF/M12

NCS-L-11-150/PNP/X/KF/M12 NWM-L-141-150/PNP/X/KF/M12

NCS-L-12-50/PNP/H/KF/M12 NWM-L-142-50/PNP/H/KF/M12

NCS-L-12-100/PNP/H/KF/M12 NWM-L-142-100/PNP/H/KF/M12

NCS-L-12-200/PNP/X/KF/M12 NWM-L-142-200/PNP/X/KF/M12

NCS-11/NWM-141 Negele液位开关