

NEGELE温度传感器TFP-161/100/6MM/6MM/MPU,TFP-161/050/6MM/6MM/MPU

产品名称	NEGELE温度传感器TFP-161/100/6MM/6MM/MPU,TFP-161/050/6MM/6MM/MPU
公司名称	北京域能汇通科技有限公司
价格	1111.00/个
规格参数	品牌:耐格 型号:TFP-161 产地:德国
公司地址	北京市朝阳区立清路8号3-2205
联系电话	86-010-65911327-101 18614088757

产品详情

北京域能汇通优势供应Anderson-Negele浊度计、安德森耐格电导率传感器、Anderson-Negele液位传感器、安德森耐格流量计、Anderson-Negele温度传感器、Anderson-Negele压力传感器、安德森耐格液位计、安德森耐格数显压力表、Anderson-Negele压力变送器。

安德森-耐格是一家全球性公司，专门研发和生产卫生应用领域用传感器与测量设备。我们致力于成为您可靠且灵活的合作伙伴，并始终为您提供*佳解决方案。在过去80年以来，安德森-耐格*已经成为创新型产品的代名词。我们是卫生测量设备的开拓者，从创立之初就始终致力于满足食品、饮料和制药行业的特殊需求。通过创新，我们尽一切可能为客户提供经济和技术优势，帮助客户取得成功。为实现这一目标，我们关注您的特定需求，并专门研发满足您生产过程要求的解决方案。安德森-耐格是*“财富500强”科技*者福迪威(Fortive)集团的一员，拥有成熟的福迪威业务系统(Fortive Business System简称FBS)。在FBS的帮助下，我们确保研发和生产高质量的产品，并持续改进我们的过程和方法。

NEGELE温度传感器TFP-161/100/6MM/6MM/MPU,TFP-161/050/6MM/6MM/MPU

TFP-161/040,TFP-161/150,耐格温度传感器

TFP-41、TFP-44、TFP-51、TFP-54、TFP-61、TFP-161、TFP-164、TFP-181、TFP-184产品资料

G1/2"卫生型接口温度传感器

应用 / 指定用途

- 容器和管道中的温度测量

- 可进行前平头式温度测量

应用示例

- CIP / SIP过程监测
- 提供前平头型，可以测量带搅拌器的容器内部温度
- 乳品容器内部温度监控

卫生型设计 / 过程连接

- 使用安德森耐格焊座（例如EMZ-132）或安装系统（例如EHG-... / 1/2"），实现流量

优化且易消毒的卫生型安装/ 1/2"

- 其他过程连接件：TriClamp适配器，乳品法兰（DIN 11851），Varivent，DRD，APV等
- 密封系统不含弹性橡胶，连接无缝无死角
- 接液材料符合FDA标准
- 传感器为全不锈钢材质，前平头型传感器为PEEK材质
- 前平头型传感器符合3-A卫生标准74-06

产品特性 / 优势

- 可进行前平头式安装
- 可选集成变送器
- 提供多种电气连接方式

选项 / 附件

- 2 x Pt100（不可改造）
- 2 x Pt100，带两个变送器（不可改造）
- MPU-4和MPU-M可编程变送器，带4...20 mA输出，两线制
- 支持Profibus PA和HART协议的集成变送器
- 可编程适配器MPU-P 9701
- 带数显表头的集成变送器MPU-LCD
- Pt100芯片可选其他精度等级（1/3B、1/10B）
- 3mm和4mm直径快速响应探头

- 最高耐温达250 ° C的颈管
- 恒定温度高达450 ° C (按要求提供)
- 用于M12插头的预制连接电缆
- 固定电缆可选其他长度和材质

认证

TFP-41、-44、-51、-54、-61、-161、-164、-181、-184产品资料

温度传感器TFP-41

温度传感器 TFP-164/ .../ MPU-M

74-06

附件

PVC电缆，带M12接头（1.4305），IP 69 K，非屏蔽

M12-PVC / 4-5 m 4芯PVC电缆，长5 m

M12-PVC / 4-10 m 4芯PVC电缆，长10 m

M12-PVC / 4-25 m 4芯PVC电缆，长25 m

Anderson-Negele温度传感器 TFP-161/050/6MM/6MM/MPU

TEMP.SENSOR,TFP-161/150/6MM/6MM/MPU/MB0-150

NEGELE耐格温度传感器 PT100. LENGTH 150MM WITH M12-PLUG DET.AS PERINV. MAT. NO:74161.1501
PART NO:TFP-161/150/6MM/6MM

TFP-161/040/6MM/6MM/MPU PT100. LENGTH 40MM WITH M12-PLUG WITH MPU-M CONNECTION
G1/2 HYGIENIC - MATERIAL:74161.0411

TFP-161/100/6MM/6MM-3L(Anderson-Negele温度传感器) (74161.10001.3L)

74161.1011 TFP-161/100/6MM/6MM/MPU PT100. LENGTH 100MM WITHINTEGRATED TRANSMITTER
WITH M12-PLUG PROCESS CONNECTION G1/2

Anderson-Negele温度传感器 TFP-161/050/6MM/6MM/MPU PT100.LENGTH 50MMWITH M12-PLUG DET.
AS PER INVOICE MAT.NO.74161.0511

安德森耐格温度传感器 1XPT100 CLASS A (TFP-161/100/6MM/6MM (74161.1001))(USED IN PHARMA
INDUSTRY)

TFP-161/100/6MM/6MM/MPU PT100. LENGTH 100MM WITH INTEGRATED TRANSMITTER WITH

M12-PLUG PROCESS CONNECTION G1/2 HYGIENIC

TFP: 161/025/6MM/6MM/MPU NEGELE耐格温度传感器 1X PT100. CLASS A LENGTH 25MM, DIAMETER 6MM SENSOR TIP 6MM WITH INTEGRATED TRANSMI

X96998306 耐格温度探头 TFP-162/017

X96998306 耐格温度探头 TFP-162/017 (2 PCS)

74162.04014-MPU-MA TFP-162/040/4MM/4MM/MPU MATERIAL NO.IN-20703-019-N03 Negele温度传感器

74162.03514-MPU-MA TFP-162/035/4MM/4MM/MPU MATERIAL NO.IN-20703-018-N03 Negele温度传感器 1XPT100

74162.03014-MPU-MA TFP-162/030/4MM/4MM/MPU MATERIAL NO.IN-20703-017-N03 Negele温度传感器 1XPT100

(安德森耐格温度传感器)TFP-162/030 4MM/MPU/MB0-150 PT100 CLASS A LENGTH 30MM D=4MM WITH M-12-PLUG WITH INTEGRATED TRANSMITT

耐格温度传感器 1XPT100,CLASS A LENGTH 17 MM,DET.AS PER INV.PART
NO:TFP-162/017/4MM/4MM/MPU/MBSONDER MAT.NO:74162.1714

74162.02014-P TFP-162P/020/4MM/4MM/MPU /MB-150 TEMP . SENSO 1 X PT 100 , CLASS A LENGTH 20MM , DIAMETER 4MM SENSOR TIP

74162.0204 TFP-162/020/4MM/4MM/MPU TEMP . SENSOR 1 X PT100 , CLASS A LENGTH 20MM , DIAMETER 4MM SENSOR TIP 4MM FOR C

74162.02014-MPU-MA TFP-162/020/4MM/4MM/MPU 耐格温度传感器 1XPT100, CLASS A LENGTH 20 MM, DIAMETER 4 MM SENSOR TIP 4 MM WITH

74162.02514-MPU-MA TFP-162/025/4MM/4MM/MPU 耐格温度传感器 1XPT100, CLASS A LENGTH 25 MM, DIAMETER 4 MM SENSOR TIP 4 MM WITH

74162.0214 TFP-162/020/4MM/4MM/MPU / MB0-150 TEMP . SENSOR 1 X PT100 , CLASS A LENGTH 20MM , DIAMETER 4MM SENSOR TIP 4

X96998306 耐格温度探头 TFP-162/017 (1 PCS)

74162.04014-MPU-MA TFP-162/040/4MM/4MM/MPU MATERIAL NO.IN-20703-019-N03 Negele温度传感器 1xPT100

74162.0214 TFP-162/020/4MM/4MM/MPU /MB0-150 TEMP .SENSOR 1 X PT 100 , CLASS A LENGTH 200MM , DIAMETER 4MM SENSOR TIP 4M

74162.02014-P TFP-162P/020/4MM/4MM/MPU /MB-200 TEMP . SENSO 1 X PT 100 , CLASS A LENGTH 20MM , DIAMETER 4MM SENSOR TIP

74162.03014-MPU-MA TFP-162/030/4MM/MPU Negele温度传感器 1XPT100

74162.03514-MPU-MA TFP-162/035/4MM/4MM/MPU MATERIAL NO.IN-20703-018-N03
NEGELE温度传感器 1XPT100

74162.03014-MPU-MA TFP-162/030/4MM/4MM/MPU MATERIAL NO.IN-20703-017-N03 耐格温度传感器
1xPT100

74162.03514-MPU-MA TFP-162/035/4MM/4MM/MPU MATERIAL NO.IN-20703-018-N03 Negele温度传感器

74162.02004-P TFP-162P/020/4MM/4MM -3.1 Anderson-Negele温度传感器 1 X PT 100.CLASS A LENGTH
20MM, DIAMETER 4MM SENSOR TIP 4MM - FOR CO

耐格温度传感器 PT100. LENGTH 15MM WITH M12-PLUG DET.AS PER INV.PART
NO:TFP-162/015/4MM/4MM MAT.NO:74162.0154

74162.0154 TFP-162/015/4MM/4MM PT100. LENGTH 15MM WITH M12-PLUG SENSOR

74162.03514-MPU-MA TFP-162/035/4MM/4MM/MPU CUSTOMER MATERIAL NO. Negele温度传感器
1XPT100, CLASS A

74162.05014-MPU-MA TFP-162/050/4MM/4MM/MPU CUSTOMER MATERIAL NO. IN-20007-001-004
Negele温度传感器 1XPT100, CLASS A

74162.03014-MPU-MA TFP-162/030/4MM/MPU CUSTOMER MATERIAL NO. IN-20703-017-N03
Negele温度传感器 1XPT100, CLASS A

74162.04014-MPU-MA TFP-162/040/4MM/4MM/MPU CUSTOMER MATERIAL NO.IN-20703-019-N03
Negele温度传感器 1XPT100, CLASS A

74162.0214 TFP-162/020/4MM/4MM/MPU 耐格温度传感器 1XPT100, CLASS A LENGTH 20 MM, DIAMETER
4 MM SENSOR TIP 4 MM WITH INTEGRA

74162.02014-P TFP-162P/020/4MM/4MM/MPU /MB0-200 TEMP . SENSOR 1 X PT100 , CLASS A LENGTH
20MM DIAMETER 4MM SENSOR TIP 4M

X96998306 耐格温度探头 TFP-162/017 (3 PCS)

741620214 TFP-162/020/4MM/4MM/MPU/MB0-150 Anderson-Negele温度传感器 1 XPT100 CLASS A LENGTH
20MM DIAMETER 4MM SENSOR TIP 4MM WITH INTG

X96997306 耐格温度探头 TFP-162/017

74162.0214 TFP-162/020/4MM/4MM/MPU/ MBO -150, Anderson-Negele温度传感器 1XPT100 CLASS A
LENGHT 20MM DIAMETER 4MM SENSOR TIP 4MM

74162.0214 TFP-162/02/4MM/4MM/MPU/MB0-150 Anderson-Negele温度传感器 1 X PT100, CLASS A
LENGTH 20 MM DIAMETER 4MM SENSOR TIP 4MM WITH I

74162.03514-MPU-MA TFP-162/035/4MM/4MM/MPU Negele温度传感器 1XPT100

74162.05014-MPU-MA TFP-162/050/4MM/4MM/MPU Negele温度传感器 1 X PT100, CLASS A

X96998306 耐格温度探头 TFP 162/017

74162.03014-MPU-MA TFP-162/030/4MM/4MM/MPU Negele温度传感器

74162.04014-MPU-MA TFP-162/040/4MM/4MM/MPU Negele温度传感器

74162.02014-MPU-MA TFP-162/020/4MM/4MM/MPU 耐格温度传感器 1XPT100, CLASS A LENGTH 20 MM, DIAMETER 4 MM SENSOR TIP 4 MM WIT

74162.03014-MPU-MA TFP-162/030/030/4MM/4MM/MPU Negele温度传感器

74162.06014-MPU-MA TFP-162/060/4MM/4MM/MPU Negele温度传感器

74162.03514-MPU-MA TFP-162/035/4MM/MPU Negele温度传感器

74162.01514-MPU-MA TFP-162/015/4MM/4MM/MPU Negele温度传感器

74162.0214 TFP-162/020/4MM/4MM/MPU/MB0-150 Anderson-Negele温度传感器 1XPT100 , CLASS A LENGTH 20MM , DIAMETER 4MM SENSON TIP 4MM WITH

74162.03514-MPU-MA TFP-162/035/4MM/4MM/MPU Negele温度传感器

74162.05014-MPU-MA TFP-162/050/4MM/4MM/MPU Negele温度传感器

耐格温度传感器 1XPT 100,CLASS A DET.AS PER INV. MAT. NO:74162.1714 PART NO:
TFP-162/017/4MM/4MM/MPU/MB0-150

74162.0214 TFP-162/020/4MM/4MM/MPU MB0-150 耐格温度传感器 1XPT100, CLASS A LENGTH 20 MM, DIAMETER 4 MM SENSOR TIP 4 MM WITH

74162.0204 TFP-162/020/4MM/4MM 耐格温度传感器 1XPT100, CLASS A LENGTH 20 MM, DIAMETER 4 MM SENSOR TIP 4 MM FOR CONNECTION O

INTEGRATED 耐格温度变送器 MPU-M

74162.0314 TFP-162/030/4MM/4MM/MPU PT100 CLASS A, LENGTH 30MM D=4MM WITH M12-PLUG WITH INTEGRATED 耐格温度变送器 PROCESS CO

74162.05014,TFP-162/050/4MM/4MM/MPU/MB0-150, 安德森耐格温度传感器 1XPT100 CLASS A

74162.04014,TFP-162/040/4MM/4MM/MPU/MB0-150,安德森耐格温度传感器 1XPT100,CLASS A

74162.06014,TFP-162/060/4MM/4MM/MPU/MB0-150,安德森耐格温度传感器 1XPT100, CLASS A

74162.0314,TFP-162/030/4MM/4MM/MPU/MB0-150, PT100 CLASS A Anderson-Negele温度传感器

74162.03514,TFP-162/035/4MM/4MM/MPU/MB0-150,安德森耐格温度传感器 1XPT100,CLASS A

74162.0214 TFP-162/020/4MM/4MM/MPU Anderson-Negele温度传感器 1XPT100 CLASS A LENGHT 20MM DIAMETER 4MM SENSOR TIP 4MM

74162.0314 TFP-162/030/4MM/4MM/MPU 耐格温度传感器

74162.04014 TFP-162/040/4MM/4MM/MPU 耐格温度传感器

74162.07014 TFP-162/070/4MM/4MM/MPU 耐格温度传感器

(安德森耐格温度传感器) TFP-162/030/4MM/4MM/MPU PT100 CLASS A

74162.03514 TFP-162/035/4MM/4MM/ MPU Negele温度传感器

74162.06014 TFP-162/060/4MM/4MM/MPU Negele温度传感器