

广州伯特曼蓄电池H17-12V产品性能及厂家

产品名称	广州伯特曼蓄电池H17-12V产品性能及厂家
公司名称	山东贺鸣盛世电力科技有限公司
价格	.00/件
规格参数	品牌:伯特曼蓄电池 型号:H17-12V 产地:广州
公司地址	山东省济南市历城区辛祝路17号523-18
联系电话	18366190202

产品详情

广州市卓肯信息科技有限公司是一家生产UPS电源，蓄电池的厂家，包括高频机，工频机，铅酸蓄电池，UPS后备蓄电池，太阳能胶体蓄电池等等。全国各地目前共有28家特约经销商。基本实现销售售后一体化全国联保。公司总部在美丽花城广州，目前公司高级工程师10名，中级工程师25名，普通员工286人。广州市卓肯信息科技有限公司2015年销售额就已经突破1亿元，诚招全国各地代理商加盟，让我们携手共创辉煌。

QueensWing Battery:

Vrla battery: 12V 5A 7A 12A 17A 24A 38A 65A 100A 120A 150A 200A

Gel battery: 12V 5A 7A 12A 17A 24A 38A 65A 100A 120A 150A 200A

Main Characteristics:

1. Maintenance-Free Operation

Absorbent glass mat (AGM) technology ensures efficient gas recombination up to 99% and freedom from electrolyte maintenance. During the expected float service life of Prostar batteries, no need to check the specific gravity of the electrolyte or add water.

2. Good Discharging Ability

Tight assembly technology ensures an excellent high-rate discharge performance.

3. Long Service Life

A unique corrosion-resistant grid alloy ensures Prostar batteries have long service life.

4. Low Self Discharge

Using high purity raw materials ensures Prostar batteries have less self-discharge.

Applied Scope:

1) Communication Systems: Switch, Microwave Stations, Mobile Base Stations, Data Centers,

Radio and Broadcasting Stations.

2) Motivity Field: Robots, Electric Toys, Electric Tools&Portable Vacuum Cleaners.

3) Solar&Wind Power Generation Systems

4) EPS&UPS Systems

Specifications:

Nominal Voltage 12V

Nominal Capacity (20hour rate) 100Ah

Capacity

25 ° C

(77 ° F) 10hour rate (5.55A) 95Ah

5 hour rate (18.3A) 91.5Ah

1 hour rate (66.5A) 66.5Ah

Internal Resistance Full Charged Battery 25 ° C

5.0m

Capacity affected by Temperature

(20 hour) 40 ° C

(104 ° F) 102%

(77 ° F) 100%

0 ° C

(32 ° F) 85%

-15 ° C

(5 ° F) 65%

Self-Discharge

(77 ° F) Capacity after 3 month storage 90%

after 6 month storage 80%

after 12 month storage 62%

Charge (Constant Voltage) 25 ° C