

宫廷红木家具雕刻机罗汉床雕刻机

产品名称	宫廷红木家具雕刻机罗汉床雕刻机
公司名称	合肥赛锐数控设备有限公司
价格	.00/个
规格参数	家具制造机械种类:木工铣床 品牌:赛远雕刻机SIGNKEY 型号:SK-1513W-4Z
公司地址	安徽省合肥市新站区工业园E区34号厂房
联系电话	64280790 15156060264

产品详情

家具制造机械种类	木工铣床	品牌	赛远雕刻机SIGNKEY
型号	SK-1513W-4Z	是否进口	否
工作形式	全自动	产品类型	全新
电机功率	0.8*4 (kw)	外形尺寸	1700*2000*1500 (mm)
最大加工长度	1300 (mm)	最大加工厚度	150 (mm)
最大加工宽度	1300 (mm)	重量	600 (kg)
送料速度	6米/分	适用范围	实木家具雕刻浮雕雕刻板式家具切割雕刻

性能特点 standard features

1.机身采用工业钢管焊接，箱式结构，承载量大

the lathe is founded by industrial pipe welding, box-type structure to ensure the high stability

2.专用仪器消除焊接应力，高精度刨床加工，不变形、精度有保证。

the special instruments to eliminate welding stress, high-precision machining planer ensure the precision and no deformation.

3.机身自重大，高速运行不抖动、更平稳。

the major machine body makes the stability and no shacking in high speed.

4. xyz采用全进口丝杆或高精度齿条出论结构、直线导轨，精度更高。

xyz all apply imported screw, high precision gear frame and linear guide ,ensure the high accuracy .

5.专业团队的机械结构设计，结构科学，外观大方。

the professional mechanical design, scientific structure and generous appearance.

适用行业 scope of application:

适用于仿古家具浮雕雕刻，木工镂花，家具制造，家具装饰、木工装饰、乐器制造、木制工艺品、吸塑灯箱3d模具制作，铝塑板加工、大型建筑模型制作等行业。

可用于大面积板材平面雕刻、实木家具雕刻、实木艺术壁画雕刻、实木雕刻、密度板免漆门雕刻、橱窗门雕刻。

widely used in antique furniture with relief carving, wood carving, furniture- processing , instrument making ,3d light box making ,

aluminum composite panel, funding mould decorative doors and windows processing etc.

特殊配置：可定制：更大幅面和特殊幅面的机型。可选配进口主轴，自动换刀，真空吸附等。

special configuration:

it can be customized more large format and special format models, and it can be optional standard configuration spindle or importing, auto-change tool system, vacuum inhaling and dust collect etc.

技术参数 technical parameters

型号model	sk-1313w	sk-1318w	sk-1322w
台面尺寸machine size	1540 × 1520	1540 × 1820	1540 × 2200
加工尺寸working size	1300 × 1300 × 130mm	1300 × 1800 × 130mm	1300 × 2500 × 130mm
主轴功率spindle power	water-cooled 1500w	water-cooled 2200w	water-cooled 3000w
主轴转速spindle speed	6000~24000rpm		
驱动	步进驱动（可选国产或进口伺服驱动）		
motor/driver	stepper motor(optional servo drive domestic or imported)		
刀具直径tool diameter	3.175 , 4 , 6, 12.7mm		
机体结构structure	工业钢管箱式结构industrial steel box-type structure		
传动系统	进口丝杆或高精度齿条传动		高精度齿条传动
drive system	imported high-precision rack drive screw or		rack drive
xyz导轨	进口直线导轨imported linear guide		
xyz guiding rails			
机械精度	< 0.03/300mm		
reposition accuracy			
雕刻速度engraving speed	8000mm/min		12000mm/min
数据传输transmission	计算机直联computer direct		
指令格式	g code or hppl		

format of instructions			
输入电源voltage		ac220v/50hz or 380v/50hz	
机器净重net weight	600kg	800kg	1000kg