

NCS-M-11/NCS-M-12 耐格电容式液位开关

产品名称	NCS-M-11/NCS-M-12 耐格电容式液位开关
公司名称	北京域能汇通科技有限公司
价格	1111.00/个
规格参数	品牌:NEGELE 型号:NCS-M-11 产地:德国
公司地址	北京市朝阳区立清路8号3-2205
联系电话	86-010-65911327-101 18614088757

产品详情

NEGELE NCS-M-11/NCS-M-12 安德森耐格电容式液位开关

北京域能汇通优势供应耐格液位开关、Anderson-Negele浊度计、安德森耐格电导率传感器、Anderson-Negele液位传感器、安德森耐格流量计、Anderson-Negele温度传感器、Anderson-Negele压力传感器、安德森耐格液位计、安德森耐格数显压力表、Anderson-Negele压力变送器。

NCS-M系列食品级电容式液位开关

应用/具体案例

· 用于少量含水或不含水液体（如糖浆、浓缩果汁、酒精以及介电常数 ϵ_r (Dk) 2的油品）的液位检测

应用举例

- 容器或管道的液位检测
- 管道中的介质监测
- 泵/干转保护
- 检测糖浆和浓缩果汁卫生设计/过程连接
- CLEANadapt卫生型过程连接
- 符合3A卫生标准

- 所有接液材料均符合FDA标准
- 传感器为不锈钢材质，感应探头为PEEK材质
- 过程连接的完整概述：请参阅订货代码
- 安德森-耐格CLEANadapt安装系统可为传感器安装提供流量优化，卫生且易于消毒的解决方案。

特点

- CIP/SIP清洗杀菌最高可耐温143 ° C / 最长120分钟
- 紧凑的安装尺寸
- 无需调节
- 电容式测量原理
- 不受介质电导率影响
- 不易受泡沫和粘性介质影响
- 极短的响应时间 (< 100 ms)
- 通过使用M12直角连接器，可根据CLEANadapt系统的“PG”标记调节电缆入口位置。

测量原理

电容器的电容值受3个因素影响：距离、电极尺寸以及电极间的介质采用电容式传感器时只需考虑介质种类即可。

传感器的电极和罐体表面可以视为电容器，而介质则相当于介电液体。因为介质与空气相比具有更大的Dk值，因此当传感器被介质覆盖时电容值会上升。然后电路可以对电容值的变化进行评估并将其转换为相应的开关指令。这种工作原理需要使用介质将传感器探头完全覆盖住，这样传感器就可以避免泡沫和粘性介质的影响。

CAP.LEVEL MONITOR FOR AQUEOUS SOLUTIONS WITH ER>20 DET.AS PER INV. PART NO:NCS-L-11/PNP/KF/M12/50 MAT.NO:7011.00011-L

7011.00010-L NCS -L-11 /PNP/KF/50 CAP .LEVEL MONITOR FOR AQUEOUS SOLUTIONS WITH ER> 20
SUPPLY:16..32 VDC OUTPUT : PNP AC

7011.00010-L NCS -L-11 /PNP/KF/50 CAP .LEVEL MONITOR FOR AQUEOUS SOLUTIONS WITH DR> 20
SUPPLY:16..32 VDC OUTPUT : PNP AC

7011.00010-L NCS-L-11/PNP/KF/50 CAP LEVEL MONITOR FOR AQUEOUS SOLUTIONS WITH ER-20
SUPPLY:16...32 VDC OUTPUT:PNP ACTIVE,

701100010-L NCS -L -11/PNP/KF/50 CAP LEVEL MONITOR FOR AQUEOUS SOLUTIONS WITH ER >20
SUPPLY 16..3.3VDC OUTPUR ; PNP AC

70011.00010-L NCS - L-11/PNP/KF/50 CAP LEVEL MONITOR FOR AQUEOUS SOLUTIONS WITH ER>20 SUPPLY 16..32VDC OUT PUT PNP ACTIV

11A4BAXXA DV NC SS 316L BODY PTFE DPG PID CTRL B-W (1 PC @910.50 EUR PER PC)(NORMALLY CLOSED PLASTIC ACTUATOR WITH SS

FLOAT SWITCH N1 PRO NO/NC 5MTR CABLE (FOR IDEAL SOLUTION TO CONTROL LIQUID LEVELS IN INDUSTRIAL USE)

7061.20011 NCS-61P/PNP NEGELE电容式液位开关 FOR AQUEOUS SOLUTIONS WITH ER<20

7061.20011 NCS-61/PNP NEGELE电容式液位开关 FOR AQUEOUS SOLUTIONS WITH ER<20 POWER SUPPLY

7061.20011 NCS-61P/PNP NEGELE电容式液位开关 FOR AQUEOUS SOLUTIONS

REPAIR NCS L-11/PNP/KF/M12 FROM 43/2014 (9210) (LEVEL SWITCH)

CAP LEVEL MONITOR FOR AQUEOUS SOLUTION WITH ER 20 SUPPLY 16..32 VDC (NCS-M-11) (LEVEL SWITCH)

REPAIR NCS-11/PNP/KF FROM 48/2013 (9210) (LEVEL SWITCH)

REPAIR NCS-11/PNP/KF FROM 51/2014 (9210) (LEVEL SWITCH)

7061.20011 NCS-61P/PNP CAPACITIVE/LEVEL SWITCH FOR AQUEOUS SOLUTIONS WITH ER<20

NEGELE电容式液位开关 FOR AQUEOUS SOLUTIONS WITH ER<20 NCS-61P/PNP 7061.20011

NEGELE电容式液位开关 FOR AQUEOUS SOLUTION WITH ER<20 NCS-61P/PNP 7061.20011

NKP-6401/3Y PLASTIC LEVEL SWITCH MAT. POLYPROPYLENE MAX.10 BAR, MAX.80 DEGREE C CONN. M 16 MALE REED CONTACT N/O OR N/C

FLOAT SWITCH N1 PRO NO/NC 10MTR CABLE (FOR IDEAL SOLUTION TO CONTROL LIQUID LEVELS IN INDUSTRIAL USE)

MAGNETIC LEVEL SWITCH 0-370MM 1NO-1NC 2A MODEL NS 1/50 -MS-SK223 C7 / 370-3W7 WITH FLOAT SK223

MAGNETIC LEVEL SWITCH 0-370MM 1NO-1NC 2A MODEL NS 1/50 -MS-SK223 C7 /370-3W7 WITH FLOAT SK223

CAP.LEVEL SWITCH FOR AQUEOUS SOLUTIONS WITH ER 20(NCS-11)

R983063936 TANK TOP LEVEL CONTROL(FLOT SWITCH) NT61-MS-S6/370-2K-TK70NC(1000905551061000)

522382 WATER LEVEL SENSOR CLS-50 LEVEL MAX NC-SWITCH

7031.30011-TC1 NCS-31P/PNP/TC1 NEGELE电容式液位开关 FOR AQUEOUS SOLUTIONS ITEM

NO.000010

7114.6860 NVS-146/850/M/H100/X NEGELE耐格液位开关 LENGTH 850 MM, DIAMETER 4MM)(TEMPETATURE SENSOR USED IN FERMENTER

7114.6510 NVS-146/500/M/X/M12 NEGELE耐格液位开关 LENGTH 500 MM, DIAMETER 4 MM METERIAL 1.4404, PFA COATED WITH INTE

7114.6210-01 NVS-146/200/M/M12/M12 NEGELE耐格液位开关 LENGTH 200 MM, DIAMETER 4 MM MATERIAL 1.4404, PFA COATED WITH

7114.6860 NVS-146/850/M/X/X CUSTOMER MATERIAL NO. IN-21003-011-N03 NEGELE耐格液位开关 LENGTH 850 MM, DIAMETER 4MM

7114-6518 NVS -146 /500-8 /M/H100/X NEGELE耐格液位开关 LENGHT 500M DIAMETR 8M MATERIAL 1.4404 , PFA COATED [FOR M

7114.6860 NVS-146/850/M/X/X NEGELE耐格液位开关 LENGTH 850 MM, DIAMETER 4 MM MATERIAL 1.4404

NEGELE耐格液位开关 LENGTH 850MM, DET.AS PER INV. MAT.NO:7114.6858 PART NO:NVS-146/850-8/H100/X/X

7114.6860,NVS-146/850/M/X/X, NEGELE耐格液位开关

耐格液位检测开关 NVS-146/850 B/H-PFA

NVS-146/1000/M/M12 NEGELE耐格液位开关 LENGTH 1000MM,DIAMETER 4MM DET.AS PER INV. MAT.NO.7114-610001-01

NVS-146/1000/M/M12 NEGELE耐格液位开关 LENGTH 1000MM,DIAMETER 4MM DET.AS PER INV. MAT.NO.7114.610001-01

NEGELE耐格液位开关 (NVS-146/1500/M)(7114.6960)(PARTS FOR FERMENTER)

NVS-146/500/M NEGELE耐格液位开关 LENGTH 500 MM,DIAMETER 4MM DET. AS PER INVOICE MAT.NO.7114.6510

LEVEL SENSOR WITH G1/2 THREAD HYGEIENIC NVS-146/1000/MNEGELE耐格液位开关 DET.AS PER INVOICE MAT.NO.7114-6992

7114-6860 NVS-146/850/M MATERIAL NO.IN-21003-011-N03 NEGELE耐格液位开关 WITH INTEGRATED TRANSMITTER

7114.6210-01 NVS-146/200/M/M12 NEGELE耐格液位开关 LENGTH 200 MM, DIAMETER 4 MM MATERIAL 1.4404, PFA COATED WITH INT

7114.6510 NVS-146/500/M NEGELE耐格液位开关 LENGTH 500 MM, DIAMETER 4 MM MATERIAL 1.4404, PFA COATED WITH INTEGRATED

SINGLE ROD LEVE SWITCH (7114.6510)(NVS-146/500/M(USED IN PHARMA INDUSTRY)

7114.6860 NVS-146/850/M NEGELE耐格液位开关

NVS-146/500/M LENGTH ROD LEVEL SWITCH LENGTH 500 MM, DIAMETER 4MM MATERIAL 1.4404, PFA COATED WITH INTEGRATED TRANSMITTE

NEGELE耐格液位开关 LENGTH 500 MM DIAMETER 4 MM(NVS-146/500/M) (7114.6510)

7114.68501-01 NVS-146/850/M/M12 NEGELE耐格液位开关 LENGTH 850 MM, DIAMETER 4 MM MATERIAL 1.4404, PFA COATED WITH IN

NVS-146/1000/M NEGELE耐格液位开关DETAILS AS PER INVOICE MAT. NO.7114.6992

7114.6850 - NVS-146/850 NEGELE耐格液位开关 D (Anderson-Negele温度传感器)

7114.6850 - NVS-146/850 NEGELE耐格液位开关

NEGELE耐格液位开关 (NVS-146/2000/M)

NEGELE耐格液位开关 (NVS-146/1500/M)

NEGELE耐格液位开关 (NVS-146/500/M)

NVS-146/850 M CONDUCTIVITY TYPE 耐格限位开关,ADAPTER TRICLAMP AMC -132/DN25-1TC MATERIAL:SS316L

Anderson-Negele ITM-4/DF50/M12 安德森耐格-UNIECHO

Anderson-Negele TFQ-G12/050/6/M/0-150 安德森耐格-UNIECHO

Anderson-Negele AMK-352/DN50+NMM/DN50 安德森耐格-UNIECHO

Anderson-Negele TFQ/050/6/M/0-150 安德森耐格-UNIECHO

Anderson-Negele FTS-141/P 安德森耐格-UNIECHO

Anderson-Negele ILM-4/L20/S01/V/A42/D/S/W/X 安德森耐格-UNIECHO

Anderson-Negele TFP-162/020/4MM/4MM/A/M12/MPU-M/0-100 安德森耐格-UNIECHO

Anderson-Negele hsm-p-2 2950.022 安德森耐格-UNIECHO

Anderson-Negele hsm-p-2 安德森耐格-UNIECHO

Anderson-Negele ITM-4/TC65 安德森耐格-UNIECHO

Anderson-Negele ITM-4/TC50 安德森耐格-UNIECHO

Anderson-Negele EP031B01100441 安德森耐格-UNIECHO

Anderson-Negele MAN-90P-BAT/TC1/-1...4/H/1-3.1-ATEC 安德森耐格-UNIECHO

Anderson-Negele TFP-51/200/6/X/A/PG/MPG-4/0...200 安德森耐格-UNIECHO

Anderson-Negele TFP-51/100/6MM/6MM/MPU 安德森耐格-UNIECHO

Anderson-Negele NCS-M-11 安德森耐格-UNIECHO

Anderson-Negele FP-51/200/6/X/A/PG/MPG-4/0...200 安德森耐格-UNIECHO

Anderson-Negele NVS-50.3/1000B/1000B/1000B 安德森耐格-UNIECHO

Anderson-Negele SR093G05802100 S/N 0443579 安德森耐格-UNIECHO

Anderson-Negele NSL-F /00/0490/10/S1/O/4/A42/P/X/M/X/X 安德森耐格-UNIECHO

LCN7160100012000

NCS-L-11

TFP161/050/6MM/6MM -20-150

NVS 146 200 M

TFP-41.2/150/6MM/6MM/2M12

NCS-11/PNP/D

TFP-161/030/6MM/6MM/MPU

ILM-2/L50 配NMM-40AMK-352/DN40

TFP-41/100/6MM/3MM

NVS-146/200

LCN6160120000000

DAC-341/0.4bar

NVS-146/1000/M

NSK-358/0800/OI/H50/M12 5CM

NSK-358/0800/OI/H50/M12 9CM

ILM-2/L50

DAC-341/10.0REL

NCS-11/PNP/H/KF/M12

NVS146-500-M

ZNV-Z/24VDC

DAC-341/0.2REL

NCS-L-11/PNP/KF /250

AMK-032/DN50

ILM-2/L20/PG

FWS-141

NCS-11/NPN

NCS-11/PNP

NCS-12/NPN/H

FKS-141

vnv-d 24VDC

HMP-E025200

HTE000

NCI-45

ILM-2-L50-CN

DAC-341/4.0REL

NCS-L-11/50/PNP/KF/M12

N S K - 3 5 8 / 0 4 9 0 / U

TFP-159/249/4MM/4MM/M12/MPU

NCS-L-11/50/PNP

EL974011151011A0000

MNV-1C

NCS-11/PNP/KF

TFP-161/200/6MM/6MM/MPU1*PT100

HH286G160A0N000/-1/0/2.5bar

NVS-146/500-8-H?

AMF-132-42

TFP-160/100/6MM/6MM/MPU Temp sensor:1*PT100 range:0 ~ 120 12 ~ 36VDC/4 ~ 20mA 2Wire

MAN-90/GF40/0.6

HH309G160A0N000

NSK-357.1/200/h/oi/PG

NSK-358/200/h/oi/PG

NSK-157/200/h/oi/PG

NSK-187/200/oi/PG

NSK-387.1/200/oi/PG

NSL-F/00/0750/10/TC1/O/1/A42/P/L/W/X/X

Anderson-Negele TFP-162/030 11000 安德森耐格-UNIECHO

Anderson-Negele TFP-162/030 安德森耐格-UNIECHO

Anderson-Negele TFP-182 安德森耐格-UNIECHO

Anderson-Negele NCS-31P/PNP/x/TC1-04 安德森耐格-UNIECHO

Anderson-Negele ILM-4/L20/S01/V/A62/D/S/P/X 110001773696/003 安德森耐格-UNIECHO

Anderson-Negele NVS-146/1500-8/M/X/X 7114.615001-8 安德森耐格-UNIECHO

Anderson-Negele NVS-146/2000-8/M/X/X 8900 安德森耐格-UNIECHO

Anderson-Negele NCS-L-11/PNP/M12/50 安德森耐格-UNIECHO

Anderson-Negele NCS-L-11/50/PNP/KF/M12

Anderson-Negele NCS-11/PNP+EMZ-132+M12 安德森耐格-UNIECHO

Anderson-Negele NVS-146/1500/M/X/X 7114.696 安德森耐格-UNIECHO

Anderson-Negele NVS-146/2000/M/X/X 7114.6911 安德森耐格-UNIECHO

Anderson-Negele NVS-146/1500/M 安德森耐格-UNIECHO

Anderson-Negele NVS-146/2000/M 安德森耐格-UNIECHO

Anderson-Negele NCS-01/PNP 安德森耐格-UNIECHO

Anderson-Negele NCS-11/PNP/H/KF/M12 安德森耐格-UNIECHO

Anderson-Negele ESD-130 安德森耐格-UNIECHO

Anderson-Negele NCS-32P/PNP/TC3/4 安德森耐格-UNIECHO

Anderson-Negele NCS-11/PNP/X/KF/X 安德森耐格-UNIECHO

Anderson-Negele TFP-49/200/4MM/MPU 安德森耐格-UNIECHO

Anderson-Negele DPM-GS-0GW-SA-X- -24VDC 安德森耐格-UNIECHO

Anderson-Negele TFP-160/250/6MM/4MM/MPU 安德森耐格-UNIECHO

Anderson-Negele TP35/1-1.5" 安德森耐格-UNIECHO

Anderson-Negele AMC-352/DN25 安德森耐格-UNIECHO

Anderson-Negele ILM-4/L50/S01/V/A62/D/S/P/X 安德森耐格-UNIECHO

Anderson-Negele DAC-341/0.2REL/X/M12 安德森耐格-UNIECHO

Anderson-Negele NCS-L-11/50/PNP/M12 安德森耐格-UNIECHO