

## Fisher 627 系列商业/工业调压器

产品名称	Fisher 627 系列商业/工业调压器
公司名称	广州奥利斯特燃气设备有限公司
价格	9.00/台
规格参数	品牌:美国fisher 型号:627
公司地址	中国广州天河区珠吉街珠村东环路110号珠园大厦402室
联系电话	86-020-32201622 13632304525

## 产品详情

功能

内部泄压阀

627R 和 627MR 型行程限位器

泄压操作指示器

易于维护

安装灵活

应用多样化

抗干扰

流量范围广泛

规格

阀体尺寸和端面连接方式

3/4、1 或 2 : NPT 端部连接NPS 1 或 2 / DN 25 或 50 : CL150 RF、CL300 RF、CL600 RF 法兰式端部连接

最大入口压力

NPT 钢 : 2000 psig / 138 bar 法兰连接钢 : 1500 psig / 103 bar 球墨铸铁 : 1000 psig / 69.0 bar

## 出口压力范围

5 至 500 psig / 0.34 至 34.5 bar 之间的 6 个范围

## 取压方式

627、627H 或 627R 型：内部取压 627M、627HM 或 627MR 型：外部至阀膜箱体中的 1/4 NPT 内部控制管路连接

## 温度适用范围

-20 ° 至 180 ° F / -29 ° 至 82 ° C

Fisher 627 Series direct-operated pressure reducing regulators are for low and high-pressure systems. These regulators can be used with natural gas, air or a variety of other gases. Performance characteristics vary according to construction.

## Features

Internal Relief Valve

Types 627R and 627MR Travel Stop

Relief Operation Indicator

Easy to Maintain

Installation Adaptability

Application Versatility

Tamper-Resistant

Wide Range of Flow Capabilities

## Specifications

### Body Sizes and End Connection Styles

3/4, 1, or 2: NPT end connections  
NPS 1 or 2 / DN 25 or 50: CL150 RF, CL300 RF, CL600 RF flanged end connections

### Maximum Inlet Pressure

NPT Steel: 2000 psig / 138 bar  
Flanged Steel: 1500 psig / 103 bar  
Ductile Iron: 1000 psig / 69,0 bar

### Outlet Pressure Range

5 to 500 psig / 0,34 to 34,5 bar in six ranges

### Pressure Registration

Type 627, 627H or 627R: Internal Type 627M, 627HM or 627MR: External through 1/4 NPT internal control line connection in the diaphragm case

#### Temperature Capabilities

-20 ° to 180 ° F / -29 ° to 82 ° C

Fisher China Guangzhou Honest Gas Equipment Co., LTD. [www.zgfisher.com](http://www.zgfisher.com)

Tel:+86-020-32201622

Mobile phone|weixin:15876552411

E-mail:363495724@qq.com