

# 1升钻石包 无菌纸盒灌装机

产品名称	1升钻石包 无菌纸盒灌装机
公司名称	湖南中凯机械制造有限公司
价格	180.00/台
规格参数	中凯:11 zk-101:11 湖南:11
公司地址	湖南省长沙县榔梨街道花园村362号
联系电话	0731-86185848 15367166307

## 产品详情

无菌纸盒灌装机

Aseptic carton filing machine

该机适用于经UHT杀菌的液体奶及各种不含气饮料、果汁、咖啡、植物蛋白饮料、茶饮料、果酒等液体食品的无菌包装，保质期6个月以上。

This machine is used for packing the uht processed liqued food ,including liquid milk,and other non-gas beverage,juice,coffee,plant protein drinks,tea drinks,wine ect.having a shelf life of 6 month.

产品特点

外形美观、做工精良，采用食品级优质不锈钢制造，保证设备寿命；

包装成型稳定，适应各个厂家的包材，保证用户的实际利益；

极低的包材耗损率，保证客户的经济效益；

计量精确，耗电量低，节省人力，操作简单易学；

大屏幕人机界面，真正实现人机互动；

各部分组件均采用国内外知名品牌，核心部件全部采用世界一流品牌；

先进的无菌系统，经过无菌空气、双氧水、紫外线照射、臭氧杀菌等多重灭菌保护，保证产品的商业无

菌；

完善的售后体系，保证客户没有后顾之忧。

#### Product features

Beautiful appearance, excellent workmanship, made of food-grade high-quality stainless steel to ensure equipment life;

The packaging molding is stable and adapts to the packaging materials of various manufacturers to ensure the actual interests of users;

Very low packaging material consumption rate to ensure customers' economic benefits;

Accurate measurement, low power consumption, saving manpower, simple operation and easy to learn;

Large screen man-machine interface, truly realize man-machine interaction;

All parts of the components are well-known brands at home and abroad, and the core components are all world-class brands;

Advanced aseptic system, through multiple sterilization protection such as sterile air, hydrogen peroxide, ultraviolet radiation, ozone sterilization, etc., to ensure the commercial sterility of the product;

The perfect after-sales system guarantees customers no worries.

#### 产品参数 Product parameters

1、包装形式：纸铝复合砖型/纸铝复合钻型

2、生产能力：5000包/小时

3、灌装量：1000ml/250ml/200ml/125ml

4、外形尺寸：3800mm\*1500mm\*3850mm

5、重量：3000kg

6、电源：380V50Hz

7、功率：15Kw

8、压缩空气：3m/min(0.8Mpa)

9、双氧水：0.2Kg/h,35%食品级

10、操作系统：PLC控制，人机界面

1、P acking from:paper and aluminum laminated

brick shape/paperand aluminum laminated

Diamond shape

- 2、 Production capacity:5000pack/hour
- 3、 filling volume : 1000ml/250ml/200ml/125ml
- 4、 Dimensions : 3800mm\*1500mm\*3850mm
- 5、 Weight : 3000kg
- 6、 Power supply : 380V50Hz
- 7、 Power : 15Kw
- 8、 Compressed air 3m/min(0.8Mpa)
- 9、 Hydrogen peroxide : 0.2Kg/h,35% food grade
- 10、 Operating system:PLC control,human-machine interface