

不锈钢网 过滤网 平纹编织

产品名称	不锈钢网 过滤网 平纹编织
公司名称	鲤城区晋阳筛网经营部
价格	.00/个
规格参数	材料:2 编织工艺:平纹编织 目数:2
公司地址	泉州市鲤城区土地路7幢2号
联系电话	86 595 68233966 15059592381

产品详情

材料	2	编织工艺	平纹编织
目数	2	丝径	2 (mm)
网宽	2 (m)	网长	2 (m)
用途	2		

不锈钢丝网材质：302 304 304I 316 316I 编织：平纹编织和斜纹编织性能：耐酸、耐碱、耐高温、耐拉和耐磨性强于酸、碱环境条件下筛分和过滤，石油工业作泥浆网、化工化纤工业作筛滤网、电镀工业作酸洗网本厂可根据设计制作各种型号的产品，同时承接来料加工。

不锈钢丝网规格

目数	丝径		孔径		开孔面积	网重 (磅 / 平方英尺)
	英寸	毫米	inch	毫米		
1x1	.080	2.03	.920	23.37	84.6	41.1
2x2	.063	1.60	.437	11.10	76.4	51.2
3x3	.054	1.37	.279	7.09	70.1	56.7
4x4	.063	1.60	.187	4.75	56.0	104.1
4x4	.047	1.19	.203	5.16	65.9	57.6
5x5	.041	1.04	.159	4.04	63.2	54.9
6x6	.035	.89	.132	3.35	62.7	48.1
8x8	.028	.71	.097	2.46	60.2	41.1

10x10	.025	.64	.075	1.91	56.3	41.2
10x10	.020	.51	.080	2.03	64.0	26.1
12x12	.023	.584	.060	1.52	51.8	42.2
12x12	.020	.508	.063	1.60	57.2	31.6
14x14	.023	.584	.048	1.22	45.2	49.8
14x14	.020	.508	.051	1.30	51.0	37.2
16x16	.018	.457	.0445	1.13	50.7	34.5
18x18	.017	.432	.0386	.98	48.3	34.8
20x20	.020	.508	.0300	.76	36.0	55.2
20x20	.016	.406	.0340	.86	46.2	34.4
24x24	.014	.356	.0277	.70	44.2	31.8
30x30	.013	.330	.0203	.52	37.1	34.8
30x30	.012	.305	.0213	.54	40.8	29.4
30x30	.009	.229	.0243	.62	53.1	16.1
35x35	.011	.279	.0176	.45	37.9	29.0
40x40	.010	.254	.0150	.38	36.0	27.6
50x50	.009	.229	.0110	.28	30.3	28.4
50x50	.008	.203	.0120	.31	36.0	22.1
60x60	.0075	.191	.0092	.23	30.5	23.7
60x60	.007	.178	.0097	.25	33.9	20.4
70x70	.0065	.165	.0078	.20	29.8	20.8
80x80	.0065	.165	.0060	.15	23.0	23.2
80x80	.0055	.140	.0070	.18	31.4	16.9
90x90	.005	.127	.0061	.16	30.1	15.8
100x100	.0045	.114	.0055	.14	30.3	14.2
100x100	.004	.102	.0060	.15	36.0	11.0
100x100	.0035	.089	.0065	.17	42.3	8.3
110x110	.0040	.1016	.0051	.1295	30.7	12.4
120x120	.0037	.0940	.0064	.1168	30.7	11.6
150x150	.0026	.0660	.0041	.1041	37.4	7.1
160x160	.0025	.0635	.0038	.0965	36.4	5.94
180x180	.0023	.0584	.0033	.0838	34.7	6.7
200x200	.0021	.0533	.0029	.0737	33.6	6.2
250x250	.0016	.0406	.0024	.0610	36.0	4.4
270x270	.0016	.0406	.0021	.0533	32.2	4.7
300x300	.0051	.0381	.0018	.0457	29.7	3.04
325x325	.0014	.0356	.0017	.0432	30.0	4.40
400x400	.0010	.0254	.0015	.370	36.0	3.3
500x500	.0010	.0254	.0010	.0254	25.0	3.8
635x635	.0008	.0203	.0008	.0203	25.0	2.63

斜纹 - 密纹编织

目数	丝径	绝对过滤值 μm	名义过滤值 μm
20x250	.0098x.0079	110-120	98-105
30x360	.0098x.0060	90-100	80-84
40x560	.0070x.0040	70-75	47-52
120x400	.0040x.0025	50-55	37-43
120x160	.0040x.0025	40-45	28-32
80x700	.0040x.0030	35-40	24-26
200x600	.0024x.0018	28-32	19-21
165x800	.0028x.0020	24-26	14-16
165x1400	.0028x.0016	16-18	9-11

200x1400	.0028x.0016	12-14	5-6
250x1400	.0022x.0016	11-12	3-4
325x2300	.0015x.0010	8-9	2-3

平纹 - 密纹编织

目数	丝径	绝对过滤值 μm	名义过滤值 μm
8x85	.014x.0126	318 - 340	250 - 255
12x64	.024x.0165	270 - 285	200 - 205
14x88	.020x.013	225 - 245	150 - 155
20x150	.0098x.007	155 - 165	100 - 105
24x100	.015x.010	115 - 125	80 - 85
30x150	.009x.007	95 - 100	65 - 70
40x200	.007x.0055	65 - 70	55 - 60
50x250	.0055x.0045	55 - 60	40 - 45
80x400	.0049x.0028	43 - 48	35 - 40