

喷砂机 东莞手动9080B型喷砂设备

产品名称	喷砂机 东莞手动9080B型喷砂设备
公司名称	东莞市长安胜峰喷砂设备经营部
价格	4700.00/台
规格参数	品牌:百滔 型号:BT-9080B 产地:东莞长安
公司地址	东莞市长安镇厦岗社区金沙东路4号202室（经营场所）
联系电话	13712926125

产品详情

喷砂机 东莞手动9080B型喷砂设备基本参数：

主机外形尺寸：920mm × 1180mm × 1650mm（长宽高）

工作舱内尺寸：900mm × 800mm × 690mm（长宽高）

进料口尺寸：735 * 620mm宽高

除尘风机：550W 220V 50HZ

除尘方式：袋式除尘箱，利用气动自动/手动除尘

喷枪数量：1把（铝合金带碳化硼喷嘴）

脚踏开关：1个

工作开孔：2个

护目镜框：1个

手套：1对

每次处理量：10-25KG

电源：220V/50HZ

工作压力：2-7BAR

机器照明灯：220V 13W节能灯

除尘风量：8.5m³/min

空气源要求：压力7BAR（kg/平方米）

流量：0.8-1.2立方米/min

备注：以上设计尺寸与实际尺寸如有误差，纯属正常！但使用效果不变！

适用磨料：

玻璃珠（砂）、金刚砂、陶瓷砂、尼龙珠、塑胶砂、核桃砂、铁砂、氧化铝砂（刚玉砂）、碳化砂（绿碳化砂、黑碳化砂）、树脂砂、塑胶粒陶瓷珠等

喷砂机 东莞手动9080B型喷砂设备机体小巧，环保无尘，喷砂作业时砂是自动循环的，（可选择配置细砂旋风分离器，能将粉尘与可再利用的砂料进行自动分离，粉尘被收集至除尘器，而可再利用的砂料则自动进入砂料储存箱中，尽可能减少磨料的损耗。）另外可加装自动烘干装置，对磨料进行自动恒温烘干，避免细砂磨料受潮所带来的堵塞砂管、影响喷砂效果的烦恼。

喷砂机 东莞手动9080B型喷砂设备适用范围：

喷砂机，手动喷砂机，东莞喷砂机，喷砂设备适用于各种重型工件的表面喷砂：如各类模具，电脑外壳模具等；同时也适用于手扳厂、手机翻新厂、模具厂、灯饰厂、眼镜厂、珠宝手饰厂、电子厂、喷油厂、电镀厂、氧化厂、塑胶厂、石材厂、汽车零配件制造厂等产品表面喷砂处理。

9080手动喷砂机的基本操作：

- 1、接入电源（单相220V，50HZ），开启电源开关，照明灯亮，除尘风机启动；
- 2、加入适当的喷砂磨料，将待加工零件放在工作台上，关闭工作舱门；
- 3、双手插入工作手套，一手拿喷枪，一手抓住工件，喷嘴对准待喷工件；也可将喷枪固定在支架上，双手拿着工件在喷枪下方做相对运动，完成喷砂动作；
- 4、轻踩脚踏开关，压缩空气开通进入喷枪，磨料将按调定的喷射量从分离器储存箱底被引射到喷枪内，在压缩空气作用下高速喷射到被加工工件表面上；
- 5、喷砂加工过程中，一方面要保持喷枪与工件间有适当的喷射距离及角度，使工件均匀地受到磨料的喷射加工，直到取得满意效果；
- 6、加工完毕后，脚必须从脚踏开关处移开，喷枪停止喷射磨料后，方可打开工作舱门，取出零件；

- 7、如果还需要继续加工零件，中间不必关闭除尘箱风机及照明电源；反之，则闭；
- 8、下班后停止工作，必须关闭电源开关，拔掉电源插头，断开气源接头。

喷砂效果：

- 1、木材或者木制家具的毛边毛刺的清理与清洁，以及喷砂后表面的凹凸效果。
- 2、塑胶产品的去毛边毛刺，修复假水纹，喷砂后获得均匀的砂面再喷油，增强附着力及亚光效果
- 3、金属件焊接后表面焊渣的清理，斑迹的清洁；冲剪后毛边毛刺的去除，划痕的修复；表面文字、图案的雕刻及雾化效果
- 4、金属件的表面除锈、去氧化皮、清理涂层与镀层、除漆除油、砂纹处理（即获得均匀的粗糙度），或者旧件翻新
- 5、玻璃、亚克力、水晶、石材、陶瓷等的表面文字与图案的雕刻、穿孔与雾化效果
- 6、金属件电镀、喷涂、氧化等工艺处理前的表面清理、清洁，增强表面的附着力；消除工件内应力，延长使用寿命

售后服务：

- 1、设备保障：整机质保一年，易损件除外，终身维护。公司设有专业售后服务人员，售后服务快，让您无后顾之忧。
 - 2、材质保障：我们的机器选用的材质全部是按国标足厚材料，喷砂咀选用高耐磨材质的碳化硼喷咀。
 - 3、信誉保障：我公司是实体型企业也是各大网站的会员企业，信誉度有保障，欢迎实地考察。提供免费打样！
 - 4、用户保障：送货时向客户详细讲解喷砂机、抛丸机、毛边机各个部件的功能及使用，手把手的教客户操作演示，并帮您免费试样品，确定客户会操作后收款。
 - 5、后期保障：定期向客户回访使用情况，为用户提供终身全过程服务，积极听取客户所提的每一条意见，并努力改善解决。对于客户不能处理的技术上的问题，可免费帮客户试样。
 - 6、服务承诺：质保期间售后人员及时到现场查找原因，并迅速给出解决方案，能及时处理的，立即处理。不能及时处理的经客户同意，采取一切可以实施的措施，保证设备运行，或需要更换零件或设备，我们承诺无条件更换，保质期内一切零配件均免费保修。
 - 7、过保承诺：用户可随时咨询我司的设备维修，保养方面的知识。零配件只收取成本费用，并长期以优惠的价格提供耗材。
 - 8.免费服务：为贵方建立完整的设备客户档案，每年不定期回访，了解客户使用状况。
-

9080 manual sandblasting machine technical parameters:

Main body size: 1220mm * 920mm * 1700mm (length width height)

Working chamber size: 800mm * 900mm * 680mm (length width height)

Conjoined dust box: 420mm * 330mm * 1500mm (length width height)

Dust removal fan: 550W 220V 50HZ

Dedusting way: bag type dedusting box, using pneumatic automatic / manual dedusting.

Number of spray guns: 1 (aluminum alloy belt boron carbide nozzle)

Foot switch: 1

Observation window: 1

Gloves: 1 pairs.

Power: 220V/50HZ

Working pressure: 2-7BAR

Machine lights: 1 energy-saving lamps

Remarks: if the above design size and actual size are error, it is normal. But the effect is unchanged.

Sand blaster Dongguan manual 9080B sand blasting equipment scope of application :

It is suitable for surface sandblasting of various heavy workpieces, such as all kinds of moulds, computer shell moulds, etc. It is also suitable for surface sandblasting of products such as wrench factory, mobile phone renovation factory, mould factory, lighting factory, glasses factory, jewelry and hand ornament factory, electronic factory, oil spraying factory, electroplating factory, oxidation factory, plastic factory, stone factory, Automobile Parts Factory and so on. Sandblasting.

Scope of application:

1. Cleaning and cleaning of burrs on the edges of wood or wooden furniture, and the concave and convex effect of the surface after sandblasting.
2. Deburring of plastic products, repairing false watermarks, and evenly spraying oil on sand surface after sandblasting to enhance adhesion and matte effect.
3. Cleaning of welding slag and stains on metal parts after welding; removal of burrs on the edges after punching and shearing; repair of scratches; engraving and atomizing effect of surface characters and patterns
4. Surface rust removal, oxide coating, cleaning coating and coating, paint removal and oil removal, sand treatment

(i.e. uniform roughness), or renovation of old parts.

5, glass, crystal, stone, ceramics and other surface text and pattern carving, perforation and atomization effect.

6. Sand blasting machine, manual sand blasting machine, Dongguan sand blasting machine, sand blasting equipment , Cleaning and cleaning the surface of metal parts before electroplating, spraying and oxidation process, so as to enhance the adhesion of the surface, eliminate the internal stress of the workpiece and prolong the service life of the workpiece.