

华为交转直电源模块OPM15M 48v15A室外华为OPM15M

产品名称	华为交转直电源模块OPM15M 48v15A室外华为OPM15M
公司名称	山东格伦德电源科技有限公司
价格	666.00/台
规格参数	华为:OPM15M OPM15M:华为交转直模块 广东:东莞
公司地址	山东省济南市历城区山大北路19号幢1302室58号
联系电话	18366068668

产品详情

华为OPM15M室外交转直电源模块

华为OPM15M , 华为OPM15M,华为交转直模块,华为电源模块 华为交转直电源模块OPM15M
48v15A室外华为OPM15M

华为OPM15 华为OPM15M室外交转直防水模块48v15A 华为OPM15M

RRU配套AC/DC模块 MPW800-48A-1,AC/DC POWER 电源模块

华为OPM15M参数

指标

功能

AC/DC电源模块型号为MPW800-48A-1 , 用来将外部输入电源转换成-48V直流电源输出给DC RRU。

输入电源

AC/DC电源模块的外部电源输入支持 :

AC输入 : 电压范围为90V ~ 290V

重量

4.5kg

尺寸(宽*高*深)

300mm*400mm*50mm

输出功率

800W

工作电压

220V/110V交流输入 ,

180~400V高压直流输入(中国使用)

应用场景

AC/DC电源模块拼装在DC RRU上形成AC RRU , 主要安装在无直流供电并且交流取电方便的地区。

Huawei opm15 Huawei opm15m diplomatic to direct waterproof module 48v15a Huawei opm15m

RRU supporting AC / DC module mpw800-48a-1, AC / DC power module

Huawei opm15m parameters

index

function

The model of AC / DC power module is mpw800-48a-1, which is used to convert the external input power to - 48V DC power and output it to DC RRU.

Input power

External power input support of AC / DC power module:

AC input: voltage range 90V ~ 290v

weight

Size (w * h * d)

output power

working voltage

220V / 110V AC input,

180 ~ 400V high voltage DC input (used in China)

Application scenario

The AC / DC power module is assembled on the DC RRU to form the AC RRU, which is mainly installed in the area without DC power supply and convenient for AC power supply.