

主要零件材料

零件名称	铸钢	不锈钢	铬镍钼钛钢
	c	p	r
阀体	wcb	zg1c18ni9ti	zg1c18ni12timo2ti
球体	zg1cr18ni9ti	zg1c18ni9ti	zg1c18ni12timo2ti
阀杆	2cr13	2cr13	zg1c18ni12timo2ti
密封圈	聚四氟乙烯+石墨+高弹性胶(8202型)		

q41f-16型

公称通径d n/mm	尺寸/mm							
	l	d	d1	d2	b	z-	h	lo
20	140	105	75	55	16	4-14	110	150
25	150	115	85	65	16	4-14	120	160
32	165	135	100	78	16	4-18	145	160
40	180	145	110	85	16	4-18	155	250
50	200	160	125	100	18		175	300

						4-18		
65	220	180	145	120	18	4-18	195	300
80	250	195	160	135	20	8-18	225	320
100	280	215	180	155	20	8-8	255	320
125	320	245	210	185	22	8-18	285	400
150	360	280	240	210	24	8-23	295	400
200	400	335	295	265	26	12-23	355	450

q41f-25型

公称通径dn/ m	尺寸/mm								
	l	d	d1	d2	b	z- d	h	lo	
20	140	105	75	55	2	4-14	110		
25	150	115	85	65	2	4-14	120		
32	165	135	100	78	2	4-18	145		
40	180	145	110	85	3	4-18	155		
50	200	160	125	100	3	4-18	175		
65	220	180	145	120	3	8-18	195		
80	250	195	160	135	3	8-18	225		
100	280	230	190	160	3	8-18	255		
125	320	270	220	188	3	8-23	285		
150	360	300	250	218	3	8-25	295		
200	400	360	310	278	3	12-25	335		

q41f-40型

公称通径dn/ mm	尺寸/mm								
	l	d	d1	d2	d6	f	b	z- d	h
20	140	105	75	55	51	2	16	4-14	110
25	150	115	80	65	58	2	16	4-14	120
32	180	135	100	78	66	2	18	4-18	140
40	200	145	110	85	76	3	20	4-18	155
50	230	160	125	100	88	3	20	4-18	175
65	290	180	145	120	110	3	22	8-18	195
80	310	195	160	135	120	3	22	8-18	225
100	350	230	190	160	150	3	24	8-23	250
125	400	270	220	188	176	3	28	8-25	270
150	480	300	250	218	204	3	30	8-25	290
200	600	375	320	282	260	3	38	12-30	350

<http://www.zjhtlw.com>