美标槽钢C型规格尺寸理算表(A36/A572GR50/A992)

产品名称	美标槽钢C型规格尺寸理算表(A36/A572GR50/A 992)	
公司名称	上海铸然供应链(集团)有限公司	
价格	6980.00/吨	
规格参数	执行标准:ASTM 米重:10.8kg 产地:国产or进口	
公司地址	上海市江杨南路2500弄30号智慧大厦3楼	
联系电话	02166160073 19101721796	

产品详情

美标槽钢C型规格尺寸理算表(A36/A572GR50/A992)

产品简介:

槽钢是截面为凹槽形的长条,属建造用和机械用碳素结构钢,是复杂断面的型钢钢材,其断面形状为凹槽形。槽钢主要用于建筑结构、幕墙工程、机械设备和车辆制造等。

英译: Channel steel is a long steel with groove section, which belongs to carbon structural steel for construction and machinery. It is a section steel with complex section. Its section shape is groove. Channel steel is mainly used in building structure, curtain wall engineering, mechanical equipment and vehicle manufacturing.

产品用途1: (钢结构住宅)

轻钢结构住宅也是近10年来发展迅速的领域,在美国采用轻型钢结构占非住宅建筑投资的50%以上。这些结构工业化、商品化程度高,施工快,综合效益高,市场需求量很大,已引起结构设计人员认识。轻钢住宅的研究开发已在各地试点,是轻钢发展的一个重要方向,目前已经有多种低层、多层和高层的设计方案和实例。

Light-steel housing is also the fastest growing sector in the last decade, with light steel accounting for more than 50% of investment in non-residential construction in the United States. These structure industrialization, commercialization degree is high, construction is quick, comprehensive benefit is high, market demand is very big, already caused structural designer understanding. The research and development of light steel housing has been piloted all over the country, and it is an important direction of light steel development.

产品用途2:(移动车位)

近年来,随着我国经济的持续快速发展,特别是人均GDP突破1000美元,轿车大量涌入家庭,给交通、道路建设及停车带来巨大压力。据了解,2004年我国小汽车产量450万辆,2005年有望突破1000万辆。在目前我国汽车人均占有率仍然不高的情况下,就已出现约50%的汽车无序停放现象,停车难已成为困扰我国城市静态交通及汽车工业快速发展的"头痛事"。许多城市,停车难已成为困扰一些商业区发展的瓶颈因素。在黄金周期间,一些景区也明显出现停车难题。在近日的中国城市智能停车国际论坛上,专家认为对停车需要的增加,为我国立体停车产业的发展创造了机会。由于城市土地有限,向空中和地下发展的城市立体停车成为解决当前停车难题的有效途径。如果按每车需13.25(2.5*5.3)平方米的停车位算,上海缺口90万个车位,约需1193万平方米的占地面积,而实际上上海市内根本工不出这样大的一块空地。目前在一些发达国家和地区,停车已成为年产值数十亿美元的大产业。美国停车业每年大约收益300亿美元,提供约110万个就业机会。虽然我国智能停车产业只有五六年的规模化历史,但立体停车产业在我国具有广阔的市场空间。

In recent years, with China's sustained and rapid economic development, especially the per capita GDP of more than 1000 US dollars, a large number of cars into the family, to the traffic, road construction and parking great pressure. It is understood that China's car production in 20044.5 million units, 2005 is expected to break 10 million units. At present, the per capita occupancy rate of automobiles is still not high in our country, about 50% of the automobiles have been parked in disorder, and the parking problem has become a "headache" for the rapid development of urban static traffic and automobile industry. In many cities, the difficulty of parking has become a bottleneck factor for the development of some business districts. During the golden week, parking problems were also evident in some scenic spots. At the recent international forum on intelligent parking in Chinese cities, experts believe that the increasing demand for parking has created opportunities for the development of our country's three-dimensional parking industry. Because of the limited urban land, three-dimensional parking has become an effective way to solve the parking problem. Based on the parking space of 13.25 square meters (2.5 * 5.3) per car, Shanghai is short of 900,000 parking spaces and needs an area of about 11.93 million square meters. Parking is now a \$one billion a year industry in some developed countries and regions. The U.S. parking industry generates about \$30 billion a year and provides about 1.1 million jobs. Although China's intelligent parking industry has only five or six years of large-scale history, but three-dimensional parking industry in China has a broad market space.

由于槽钢在我们日常生活生产中的普遍应用,商务往来中各国之间存在执行标准的不统一,为此为大家准备一份美标槽钢尺寸对照表,自行整理,如有偏差,请多包含。

美标槽钢规格尺寸对照表(C型)

型号

尺寸

米重kg

高度

腿宽

腰厚

腿厚

*BSC1-1/2*9/16

38

14.3

4.76

2.145

*BSC2*1*1/8

51

25

3

5.5

2.37

*BSC2*1*3/16

5

3.46

*C3*3.5

C75*5.2

76

35

3.4

6

5.2

C75*6.1

C3*4.1

4.3

6.9

6.1

C3*5

C75*7.4

37

6.6

7.4

C3*6

C75*8.9

40

9 8.9

*C4*4.5

C100*6.7

102

3.2

7.5

6.7

C4*5.4

C100*8

4.7

8

C4*7.25

C100*10.8

43

8.2

10.8

C5*6.7

C130*10.4
127
44
4.8
8.1
10.4
C5*9
C130*13
47
8.3
13

8.3 13 C6*8.2 C150*12.2

48 5.1

152

12.2

8.7

C6*10.5

C150*15.6

15.6

C6*13

C150*19.3

54

11.1

19.3

C7*9.8

C180*14.6

178

53

5.3

9.3

14.6

C7*12.25

C180*18.2

55

18.2

C7*14.75

C180*22

58

10.6

22

C8*11.5

C200*17.1

203

57

5.6

9.9

17.1

C8*13.75

C200*20.5

59

7.7

20.5

C8*18.75

C200*27.9

64

12.4

27.9

C9*13.4

C230*19.9

229

61

5.9

10.5

19.9

C9*15

C230*22

63

7.2

C9*20

C230*30

67

11.4

30

C10*15.3

C250*22.8

254

65

22.8

C10*20

C250*30

69

9.6

C10*25

C250*37

73

13.4

C10*30

C250*45

45

C12*20.7

C310*30.8

305

74

12.7

30.8

C12*25

C310*37

77

9.8

C12*30

C310*45

80

C15*33.9			
C380*50.4			
381			
86			
10.2			
16.5			
50.4			
C15*40			
C380*60			
89			
13.2			
60			
C15*50			
C380*74			
94			
1.发生经失同。大小月七型60回火供产文。4.5	一 上海 一丁油	111 11 1	ᅓᄼ

上海铸然集团-专业外标型钢现货供应商,坐拥上海、天津、广州三地,辐射全国,规格齐全,现货资源,为您提供一站式外标型钢采购服务;公司常年备货体量两万余吨,目前设有上海宝山、山东临沂两个大型室内库,主营进口及国产外标型钢(欧英美澳日),日后如若有这方面的采购需求或产品信息方面的咨询,欢迎随时联系,竭诚期待与您合作!!!

主营:欧标H型钢、欧标工字钢、欧标槽钢、欧标角钢;美标H型钢、美标工字钢、美标槽钢、美标角钢 ;英标H型钢、英标工字钢、英标槽钢、英标角钢;澳标H型钢、澳标工字钢、澳标槽钢、澳标角钢;日 标H型钢、日标工字钢、日标槽钢、日标角钢。