

FRER计数器

产品名称	FRER计数器
公司名称	上海航欧机电设备有限公司
价格	.00/个
规格参数	
公司地址	上海市普陀区中江路388弄1号楼905室
联系电话	021-51085161 13045641319

产品详情

FRER计数器、FRER计数器、FRER传感器、上海航欧专业意大利FRER计数器 FRER计数器、FRER传感器

FRER固态电表、FRER模拟表、FRER数字表 FRER电流互感器。意大利FRER仪器仪表:FRER计数器、多功能计数器、测量传感器、固态电表、模拟表、数字表、电流互感器、分流分压器、地漏继电器、绝缘及握手、附件。仪器仪表参数及说明：意大利FRER仪器仪表: 1: 多功能计数器、 2: 测量传感器、 3: 固态电表、 4: 模拟表、 5: 数字表、 6: 电流互感器 ,分流分压器、 7: 地漏继电器、 8: 绝缘及握手、 9: 附件
技术参数：标准电源：220VAC ± 10% 侦测范围：0~10.00 Cl2分辨率：± 0.01 mg/l 输入负载：1 KOhm 零点调整：± 1.0 mg/l 迟滞设定：± 0.10 mg/l 耗电量：3 Watt 重量：1kg 保护等级：IP65 工作温度：0~50 ° C 产品特点：标准电源：220VAC ± 10% 侦测范围：0~10.00 Cl2分辨率：± 0.01 mg/l 输入负载：1 KOhm 零点调整：± 1.0 mg/l 迟滞设定：± 0.10 mg/l 耗电量：3 Watt 重量：1kg 保护等级：IP65 工作温度：0~50 ° C FRER现货、FRER价格、FRER厂家、FRER、FRER经销、FRER型号上海航欧机电设备有限公司专业从事进口机电设备、仪器仪表等疑难备品备件的销售，是经营世界各地进口设备机电配件的现代化企业。

上海航欧公司与众多知名品牌电子元件供应商建立有极其良好的合作关系，在欧美、日本等地形成了稳定、的供应网络，专业的询价渠道

和多年的行业经验，更使我们在价格及货期上有很大优势。

经销产品供应的行业涉及冶金、钢铁、石化、能源、航天、集装箱码头、汽车、水利、造纸、电厂、纺织、注塑、橡胶、医疗、食品包装等。

我们热忱地希望尽我们的努力，力争优惠的产品价格，供货周期以及服务质量，能够为您解决进口备件方面的问题。

优势进口产品主要有：传感器，测速电机，接近开关，电子尺，编码器，控制器、分析仪，光纤，光栅，插装阀，电缆，拖链，分配器，马达

, 减速机, 继电器、缓冲

4C15XXXK Kit for sealing mod. En. meters

4C35XXXK Sealable term. cover 2 mod.En. meters

4C5272XK Flush mounting acc. 72x72mm for Q52...

4C5296XK Flush mounting acc. 96x96mm for Q52...

4C70XXXK Flush mounting acc. 96x96mm for C70...

4C7296XK Flush mounting acc. 96x96mm for X72DL3..

4CSEXXXK Bezel kit flush mount. En.meters for MT.

4F14TAP Panel cutout cover 144x144

4F48TAP Panel cutout cover 48x48

4F72TAP Panel cutout cover 72x72

4F96TAP Panel cutout cover 96x96

4GINXXXK Bezel kit flush mount. En. meters

6SFE01064 Software FRERENERGY max 64 En. meters

6SFE01256 Software FRERENERGY max 256 En. meters

6SFV02003 Monitoring Software max 3 meters

6SFV02016 Monitoring Software max 16 meters

6SFV02064 Monitoring Software max 64 meters

9MVA0314G Headless screw H=14mm. M3

9MVA0414G Headless screw H=14mm. M4

9MVA0525G Headless screw H=25mm. M5

9MVA0620G Headless screw H=20mm. M6

9MVA0825G Headless screw H=25mm. M8

9MVA1035G Headless screw H=35mm. M10

9MVA1240G Headless screw H=40mm. M12

9MVA1650G Headless screw H=50mm. M16

9SAMCP Protect.cap CT fixing screws

9SAMG Protection rubber gasket

9SAMP Big rubber terminal covers

9SAMPDC CT fixing low foot DRW:0358O01

9SAMPDL CT fixing high foot DRW: 0357P01

9SAMPP Small rubber terminals covers

9SBMCL Selector switch protect. cap

9SBMCST Instruments terminals cover UTDPC0368.3

9SBMCTA CT terminal covers

9SBMCTA125 CT terminal covers

9SBMCTA84 CT sealable term. covers for AT84-AT126

9SBMCTV VT terminal covers 2 pcs.

9SBMPRT Primary/Sec.insulating sector mod.TAT106

9SFCC72SP Sealable front door IP65 72x72

9SFCC96SP Sealable front door IP65 96x96

9SFCC98SP Sealable front door IP65 96x48

9XTMUNITAAC0 TA MISURA PER C.S. 2500 SP.

9XTMUNITAAC1 TA MISURA PER C.S. 1000 SP.

9XTMUNITAV037 TA MISURA PER C.S. 1500 SP. VAC 4658X043

9ZSGP14 Gasket IP54 prot. 144

9ZSGP48 Gasket IP54 prot. 48

9ZSGP72 Gasket IP54 prot. 72

9ZSGP96 Gasket IP54 96

9ZSGP98 Gasket IP54 prot. 96x48

A14EAX010 An. Ammeter 240 ° In. 10A ac

A14EAXXXC01 An. Ammeter 240 ° In. 1A ac 5 In

A14EAXXXXC05 An. Ammeter 240 ° In. 5A ac 5 In

A14EAXXXXD01 An. Ammeter 240 ° In. 1A ac 2 In

A14EAXXXXD05 An. Ammeter 240 ° In. 5A ac 2 In

A14EAXXXXX01 An. Ammeter 240 ° In. 1A ac

A14EAXXXXX05 An. Ammeter 240 ° In. 5A ac

A14EVX500 An. Voltmeter 240 ° 500 V ac

A14EVXXXXXCO An. Voltmeter 240 ° VT input

A14FP An. Frequencymet. 240 °

A14FPX340 An. Frequencymet. 240 ° 360/440Hz

A14FPX455XCO An. Freq. 240 ° 45-55Hz In. 100/115V

A14FPX455XD2 An. Freq. 240 ° 45-55Hz In. 220/240V

A14FPX455XSQ An. Freq. 240 ° 45-55Hz In. 57,7- 440V

A14FPX455XT8 An. Freq. 240 ° 45-55Hz In. 380/415V

A14FPX465XCO An. Freq. 240 ° 45-65Hz In. 100/115V

A14FPX465XD2 An. Freq. 240 ° 45-65Hz In. 220/240V

A14FPX465XSQ An. Freq. 240 ° 45-65Hz In. 57,7- 440V

A14FPX465XT8 An. Freq. 240 ° 45-65Hz In. 380/415V

A14FPX565XCO An. Freq. 240 ° 55-65Hz In. 100/115V