

# 凯士士R型端子

产品名称	凯士士R型端子
公司名称	深圳市斯凯维电子科技有限公司
价格	20.00/包
规格参数	品牌:KSS 型号:R1.25-3 产地:台湾
公司地址	深圳市罗湖区文锦路东文锦广场文安中心1713 (注册地址)
联系电话	13480785790

## 产品详情

KSS R型端子单位 : mm

型号

Item No. 螺丝孔

D 宽

W 电线规格 包装

Packing

AWG DIN mm<sup>2</sup>

R1.25-3S 3.2 5.5 22 ~ 16 0.5 ~ 1.0 100 pcs / 包

R1.25-3 3.7 5.5

R1.25-4 4.3 8.0

R1.25-4M 4.3 6.6

R1.25-5 5.3 8.0

R1.25-6 6.4 11.7

R1.25-8 8.4 11.7

R1.25-10 10.5 13.7

R2-3S 3.2 6.5 16 ~ 14 1.5 ~ 2.5

R2-3 3.7 6.5

R2-4 4.3 8.5

R2-4M 4.3 6.6

R2-5 5.3 9.5

R2-6 6.4 12.0

R2-8 8.4 12.0

R2-10 10.5 13.7

R3.5-4 4.3 8.0 14 ~ 12 2.5 ~ 4.0

R3.5-5 5.3 8.0

R3.5-6 6.4 12.0

R3.5-8 8.4 15.0

R3.5-10 10.5 15.0

R5.5-4 4.3 9.5 12 ~ 10 4.0 ~ 6.0

R5.5-5 5.3 9.5

R5.5-6S 6.4 12.0

R5.5-6 6.4 12.0

R5.5-8 8.4 15.0

R5.5-10 10.5 15.0

R8-5S 5.3 9.0 8 10

R8-5 5.3 12.0

R8-6 6.4 12.0

R8-8 8.4 15.0

R8-10 10.5 15.0

R8-12 13.0 15.0

R14-5 5.3 9.5 6 16

R14-6 6.4 12.0

R14-8 8.4 16.0

R14-10 10.5 16.0

R14-12 13.0 22.0

KSS R型端子

厚度较厚单位：mm 型号 Item No. 螺丝孔D 宽W 电线规格 AWG DIN mm<sup>2</sup> R22-6S6.413.0425 R22-66.416.5R22-8S8.413.0R22-88.416.6R22-1010.516.6R22-1213.022.0R30-88.416.5R30-1010.516.5R38-6S6.415.0235 R38-6ST6.415.3 R38-6T6.422.0R38-8S8.415.0 R38-8ST8.415.3R38-88.418.5 R38-8T8.422.0R38-10S10.515.0 R38-10ST10.515.3R38-1010.518.5 R38-10T10.522.0R38-1213.018.5 R38-12T13.022.0R50-8SQ8.417.3R50-10SQ10.517.3R50-1213.019.0R60-88.419.01/050R60-8SQ8.417.3R60-1010.519.0R60-10SQ10.517.3R60-1213.019.0R60-16L17.032.0R60-20L21.032.0R80-88.422.23/095R80-8SQ8.418.9R80-1010.522.2R80-10SQ10.518.9R80-1213.022.2R80-12SQ13.018.9R80-16L17.032.0R80-20L21.032.0R80-22L23.032.0R100-88.428.54/0120R100-8SQ8.423.3R100-1010.528.5R100-10SQ10.523.3R100-1213.028.5R100-12SQ13.023.3R100-16L17.032.2R100-20L21.032.2R100-22L23.032.2R125-8SQ8.423.0R125-1010.428.6R125-10SQ10.523.0R125-1212.828.6R125-12SQ13.023.0R150-1010.536.0250 ~ 300 mcm150R150-10SQ10.525.0R150-1213.026.0R150-12SQ13.025.0R150-1617.036.0R150-16SQ17.025.0R150-16L17.036.5R150-20L21.036.5R150-22L23.036.5R150-24L25.036.5R180-1213.038.5300 ~ 350 mcm185R180-12SQ13.028.0R180-1617.038.5R180-16SQ17.028.0R180-16L17.039.0R180-20L21.039.0R180-22L23.039.0R180-24L25.039.0R200-1010.544.0400 mcm240R200-10SQ10.533.0R200-1213.044.0R200-12SQ13.033.0R200-1617.044.0R200-16SQ17.033.0R200-16L17.044.0R200-20L21.044.0R200-22L23.044.0R200-24L25.044.0R200-27L28.044.0R250-1010.544.0R250-10SQ10.533.0R250-1213.044.0R250-12SQ13.033.0R250-1617.044.0R250-16SQ17.033.0R250-16L17.044.0R250-20L21.044.0R250-22L23.044.0R250-24L25.044.0R250-27L28.044.0R325-1010.551.0500 ~ 600 mcm300R325-10SQ10.538.4R325-1213.051.0R325-12SQ13.038.4R325-1617.051.0R325-16SQ17.038.4R325-16L17.051.0R325-20L21.051.0R325-22L23.051.0R325-24L25.051.0R325-27L28.051.0