

S1FB1A1WABS000-SANDPIPER胜佰德气动隔膜泵

| | |
|------|---|
| 产品名称 | S1FB1A1WABS000-SANDPIPER胜佰德气动隔膜泵 |
| 公司名称 | 昆山市卡纳工业设备有限公司 |
| 价格 | 9999.00/台 |
| 规格参数 | 品牌:SANDPIPER 型号:S1FB1A1WABS0 尺寸:1 ” |
| 公司地址 | 江苏省昆山市杜家路300号B1 |
| 联系电话 | 0512-55106670 15051600064 |

产品详情

SANDPIPER胜佰德气动隔膜泵S1FB1A1WABS000性能参数：

尺寸：1 ”

过流部件：铝合金

非过流部件：铝合金

隔膜材料：山道

流量：45GPM(170 LPM) 含固粒径：0.25 " (6mm) 扬程：125 PSI(8.6 BAR) 每冲程排量：0.11 gal(0.42 L)

SANDPIPER胜佰德气动隔膜泵S1FB1A1WABS000优势：

- 1.厚壁结构，经久耐用
- 2.螺栓设计消除泄漏
- 3.无失速空气阀设计
- 4.瓣阀和球阀泵具有多种端口选择，可实现较大的灵活性
- 5.带有可视和电子泄漏检测选项的安全壳泵，可实现泄漏检测

6.流量大，空气消耗低

7.从不锈钢到聚丙烯的各种材料，为处理腐蚀性加工化学品提供了较大的选择

8.可外部维护的设计使维护变得容易且具有成本效益

9.能够自吸和干运转，意味着减少停机时间

SANDPIPER胜佰德气动隔膜泵优势：

1.ESADSPLUS无油润滑，不死机。

2.气阀独有的设计（外部检修式气阀系统）从泵体外部进行维修，降低停机时间，提高效率。

3.独有的气阀设计，保证气量能耗小，压缩空气泄漏量极低。绝不存在像其它品牌气动隔膜泵有启动不良及气阀结冰停顿的现象。

4.优良的整体密封性，SANDPIPER气动隔膜泵所有型号的气动隔膜泵接液部件的紧固设计都采用螺栓螺母连接方式，确保长时间操作无泄漏。

5.通过ISO9001质量体系认证，ISO4001环境管理体系认证及欧共体CE认证。

SANDPIPER其他常用型号：

S1FB1A1WABS000. S1FB1A2TABS000.

S1FB1ABWABS000. S1FB1ACTABS000.

S1FB1AGTABS000. S1FB1AHWABS000.

S1FB1AIWABS000. S1FB1ANWABS000.

S1FB1AZTABS000. S1FB1I1WABS000.

S1FB1I2TABS000. S1FB1IBWABS000.

S1FB1ICTABS000. S1FB1IGTABS000.

S1FB1IHWABS000. S1FB1IIWABS000.

S1FB1INWABS000. S1FB1IZTABS000.

S1FB1S1WABS000. S1FB1S2TABS000.

S1FB1SBWABS000. S1FB1SCTABS000.

S1FB1SGTABS000. S1FB1SHWABS000.

S1FB1SIWABS000. S1FB1SNWABS000.

S1FB1SZTABS000.