

# H62 H63 H65 H68 H70黄铜管材

产品名称	H62 H63 H65 H68 H70黄铜管材
公司名称	天津市中联伟业钢铁贸易有限公司
价格	.00/个
规格参数	种类:铜管材 材质:黄铜 产地:洛铜
公司地址	天津市北辰区
联系电话	086-02286889758 13602145856

## 产品详情

种类 产地	铜管材 洛铜	材质 规格	黄铜 齐全	
标准0金.i800-43303h-c6p4s-h--m320铆630 (/4-c05161-00h82通.-05产86	gb/qb	astm/cda	jis	din
牌号	h62 h63h65 h68h70 h90	c28000/cda280 c27200/cda272c27000/cda270c26200/cda262c26000 /cda260 c22000/cda220	c2800 c2720c2700 c2680c2600 c2200	cuzn38 cuzn37cuzn35 cuzn32cuzn30 cuzn10-2.5-1000--6. > 010、 8 > d505余号s1j弹37--ic- ) .-i0.6 > 260l.h507 m-棒0
规格	3-50mm			
性能	优良的冷加工塑性、弹性、强度高			
用途	适用于眼镜配件、铆钉、电池芯杆、紧固件、弹簧、钎类及焊丝、线切割线			

普通黄铜产品机械性能30-s5p50-h360件杂5t/m-线1j2规6冷51-h571s2mch08 > ) 3305b20z550mq0b

合金牌号	加工棒材	加工线材

	状态	规格 (mm)	抗拉强度 (mpa)	伸长率 (%)	硬度	状态	规格 (mm)	抗拉强度 (mpa)	伸长率 (%)	硬度
h62 h63	y2 (1/2h)	5-20 > 2 0-40	370 33 5	15 20		m (0)	0.05-1 > 1- 6 > 6-106 量-01规、 -n3、 405 ) -7- ) -u 58/0质-0h- 0铆-规5-y cc2良g 06 金1) -d8/ 3i08-3	335 31 5 300	18 26 36	---
						y2 (1/2h)	0.05-1 > 1- 6 > 6-10	410 33 5 315	- 7 15	---
						y1 (3/4h)	0.05-1 > 1- 6 > 6-10	540-785 390-685 350-550	---	---
						y (h)	0.05-1 > 1- 6 > 6-10	685-980 540-835 500-700	---	---
h65	m (0)	5-40	295	40	-	m (0)	0.05-1 > 1- 6 > 6-10	325 29 5 275	18 28 38	---
						y2 (1/2h)	0.05-1 > 1- 6 > 6-10	400 37 5 350	- 7 10	---
	y (h)	5-40	390	-	-	y1 (3/4h)	0.05-1 > 1- 6 > 6-10	490-735 490-685 470-670	---	---
						y (h)	0.05-1 > 1- 6 > 6-10	635-885 490-785 470-670	---	---
h68 h70	m (o)	13-35	295	45	-	m (o)	0.05-1 > 1- 6 > 6-10	355 29 5 275	18 30 42	---
	y2 (1/2h)	5-12 > 1 2-40 > 4 0-80	370 31 5 295s7 > 007 > g3 310) t---- > 122于05 055h-5c42 7h-d5眼96 062- > -22 01 0i.5-	15 25 30	---	y2 (1/2h)	0.05-1 > 1- 6 > 6-10	390 34- 5 310-0 格余c08m 及7) 2材- 5740 > -.0y (0于--70 n材) 5) 8 26 > 6 > 05 .金19c/uu3 30-65y	10 12	---
						y1 (3/4h)	0.05-1 > 1- 6 > 6-10	490-73534 5-635310-5	---	---

								10		
						y (h)	0.05-1 > 1-6 > 6-10	685-93054 0-835490-6 85	---	---
h90	m (o)	5-80	205	35	---	m (o)	0.05-1 > 1-6 > 6-10	315 25 0 230	32 38 45	---
	y (h)	5-40 > 4 0-60	> 265 24 5	4 6	--	y (h)	0.05-1 > 1-6 > 6-10	470-80040 0-720380-6 20	---	---

化学成分27余6-格53f--/00/hcc808 (-36-0度-.g136-6-2532136r10--6608--56

合金牌号articles		化学成分composition				杂质总和total impurity
gb/qb	din/astm/jis	cu	pb	zn	fe	
h62	jis c2800	60.5-63.5	0.08	余量	0.15	0.5
h65	jis c2700	63.5-68.0	0.03	余量	0.1	0.3
h68	jis c2680	67.0-70.0	0.03	余量	0.1	0.3
h63	jis c2720	62.0-65.0	0.08	余量	0.15	0.3
h70	jis c2600	68.5-71.5	0.03	余量	0.1	0.2
h90	jis c2200	89.0-91.0	0.03	余量	0.1	0.2