液压管接头 扣压式 多款供选

产品名称	液压管接头 扣压式 多款供选
公司名称	诸暨市界龙管业有限公司
价格	.00/个
规格参数	安装形式:扣压式 种类:多款供选 品牌:ル
公司地址	诸暨市店口镇湖西村(小菜场旁边)
联系电话	86 575 87617670 13967555938

产品详情

 安装形式
 扣压式
 种类
 多款供选

 品牌
 JL
 材质
 低碳钢,镀彩锌

 型号
 HOSE FITTINGS
 接管口径
 6-32 (mm)

1.good color and luster.all the fittings are cleaned .the burr and the impurities must be avoid.

光亮色泽:所有的接头表面处理干净,去毛刺,去污垢。

2.high precision.all edges without burrs, brake sharp edges.

精度高。所有的边去毛刺,去倒角。

3.competitive price.

有竞争力的价格。

4.we can design whatever you require if you have the drawings.

我们可以专业设计你所需要的产品,只要你能提供我们图纸。

5. material: iron, carbon steel, stainless steel, other metals

材料:铁,低碳钢,不锈钢,其他材料。

6.standard / specification: as per drawing or samples (oem)

标准/规格:根据产品图纸或样品。

[&]quot; jl " hydraulic hose fittings can satisfy your different needs with its special quanlity and features

[&]quot; il "液压管接头以专业的品质和构造,满足你不同的需要。。。

7. size: as per customers" requests

型号:根据客户的需求。

8.surface treatment: zinc plated, nickel plated, chrome plated, hot-dip galvanized

or others

表面处理:镀锌,镀镍,镀铬,电镀锌或者其他处理。

now we hope you can know us better, our systems as follows:

目前我们希望你能更好了解我公司以下制度:

1.payment:30%t/t in advance,70%t/t within 10 days before sending b/l.

付款方式:先30%电付,在提单前10天内再70%电付。

2.the price term :we only support fob,cfr,cif.

价格术语:我们只支持fob,cfr,cif。

3.delivery: as general, we can guarantee the delivery within one month.

发货期:一般情况下,我们一个月内保证发货期。

4.samples fee: we can afford the samples fee.

样品费:我们只承担样品费或快递费。

if you have any questions about our products , please feel free to contact mr.feng.i will be online from 8:00-22:00 from monday to sunday , other time,pls call :86-13967555938.any suggestion about our factory or our products is appreciated

如果您有任何问题,请联系冯先生,8:00-22:00 星期一到星期天我们会一直在线,电话:86-13967555938。

our main hydraulic fittings, hydraulic hose fittings:

我们主要产品就是液压管件:

1) ferrule套筒

ferrulefor sae100r1at/en 853 1sn hose

ferrulefor sae100r1a en 853 1st hose

ferrulefor sae100r2at/din20022 2sn hose

ferrulefor sae100r2a/en853 2snhose

ferrulefor sae100r1at-r2at,en853 1sn-2sn and en 857 2sc

ferrulefor 4sp, 4sh/10-16, r12/06-16 hose

ferrulefor 4sh, r12/32 hose

2) swaged metric fittings公制胶管接头

metric flat seal fittingsmetric multiseal fittings

metric60 ° cone seal fittingsmetric74 ° cone seal fittings

metric 24 ° cone o-ring seal l..t. fittingsmetric 24 ° cone o-ring seal h.t. fittings

metric standpipe straight fittingsjis metric 60 ° cone seal fittings

3) swaged british fittings英制胶管接头

bsp o-ring seal fittingsbsp flat seal fittings

bsp multiseal fittingsbsp 60 ° cone seal fittings

bspt fittingsjis bsp 60 ° cone seal fittings

4) swaged american fittings美制胶管接头

sae o-ring seal fittingsorfs flat seal fittings

npsm 60 ° cone seal fittingsjic 74 ° cone seal fittings

npt fittingssae flange l.t. fittingssaeflangeh.t. fittings

5) staplelok fittings矿用接头

banjodouble connectioninterlockhose fittings

6) metric adapters公制过渡接头

metric thread o-ring face sealadapters

metric thread bite type tube adapters

metric thread74 ° cone flared tube adapters

jis metric thread 60 ° cone adapters

7) british adapters英制过渡接头

bsp thread 60 ° cone adapters

jis bsp thread 60 ° cone adapters

bsptthreadadapters

8) american adapters美制过渡接头

orfs adaptersjic74 $\,^{\circ}$ cone flared tube adapters

nptthread adapters

9) other adapters其他过渡接头