

液压管接头 扣压式 多款供选

产品名称	液压管接头 扣压式 多款供选
公司名称	诸暨市界龙管业有限公司
价格	.00/个
规格参数	安装形式:扣压式 种类:多款供选 品牌:JL
公司地址	诸暨市店口镇湖西村（小菜场旁边）
联系电话	86 575 87617670 13967555938

产品详情

安装形式	扣压式	种类	多款供选
品牌	JL	材质	低碳钢，镀锌
型号	26711	产品别名	JIC FEMALE 74 DEGREE CONE SEAT

接管口径 6-32 (mm)

“jl” hydraulic hose fittings can satisfy your different needs with its special quantity and features

“jl” 液压管接头以专业的品质和构造，满足你不同的需要。。。

1.good color and luster.all the fittings are cleaned .the burr and the impurities must be avoid.

光亮色泽：所有的接头表面处理干净，去毛刺，去污垢。

2.high precision.all edges without burrs,brake sharp edges.

精度高。所有的边去毛刺，去倒角。

3.competitive price.

有竞争力的价格。

4.we can design whatever you require if you have the drawings.

我们可以专业设计你所需要的产品，只要你能提供我们图纸。

5. material: iron, carbon steel, stainless steel, other metals

材料：铁，低碳钢，不锈钢，其他材料。

6.standard / specification: as per drawing or samples (oem)

标准/规格：根据产品图纸或样品。

7. size: as per customers' requests

型号：根据客户的需求。

8. surface treatment: zinc plated, nickel plated, chrome plated, hot-dip galvanized

or others

表面处理：镀锌，镀镍，镀铬，电镀锌或者其他处理。

now we hope you can know us better, our systems as follows:

目前我们希望你更好了解我公司以下制度：

1. payment: 30% t/t in advance, 70% t/t within 10 days before sending b/l.

付款方式：先30%电付，在提单前10天内再70%电付。

2. the price term : we only support fob, cfr, cif.

价格术语：我们只支持fob, cfr, cif。

3. delivery : as general, we can guarantee the delivery within one month.

发货期：一般情况下，我们一个月内保证发货期。

4. samples fee: we can afford the samples fee.

样品费：我们只承担样品费或快递费。

if you have any questions about our products, please feel free to contact mr. feng. i will be online from 8:00- 22:00 from monday to sunday, other time, pls call : 86-13967555938. any suggestion about our factory or our products is appreciated

如果您有任何问题，请联系冯先生，8:00-22:00
星期一到星期天我们会一直在线，电话：86-13967555938。

our main hydraulic fittings, hydraulic hose fittings:

我们主要产品就是液压管件：

1) ferrule 套筒

ferrule for sae100r1at/en 853 1sn hose

ferrule for sae100r1a en 853 1st hose

ferrule for sae100r2at/din20022 2sn hose

ferrule for sae100r2a/en853 2snhose

ferrule for sae100r1at-r2at, en853 1sn-2sn and en 857 2sc

ferrule for 4sp, 4sh/10-16, r12/06-16 hose

ferrule for 4sh, r12/32 hose

2) swaged metric fittings 公制胶管接头

metric flat seal fittings metric multiseal fittings

metric 60 ° cone seal fittings metric 74 ° cone seal fittings

metric 24 ° cone o-ring seal l.t. fittings metric 24 ° cone o-ring seal h.t. fittings

metric standpipe straight fittings jis metric 60 ° cone seal fittings

3) swaged british fittings 英制胶管接头

bsp o-ring seal fittings bsp flat seal fittings

bsp multiseal fittings bsp 60 ° cone seal fittings

bspt fittings jis bsp 60 ° cone seal fittings

4) swaged american fittings 美制胶管接头

sae o-ring seal fittings orfs flat seal fittings

npsm 60 ° cone seal fittings jic 74 ° cone seal fittings

npt fittings sae flange l.t. fittings sae flange h.t. fittings

5) staplelok fittings 矿用接头

banjo double connection interlock hose fittings

6) metric adapters 公制过渡接头

metric thread o-ring face seal adapters

metric thread bite type tube adapters

metric thread 74 ° cone flared tube adapters

jis metric thread 60 ° cone adapters

7) british adapters 英制过渡接头

bsp thread 60 ° cone adapters

jis bsp thread 60 ° cone adapters

bsptthreadadapters

8) american adapters美制过渡接头

orfs adaptersjic74 ° cone flared tube adapters

nptthread adapters

9) other adapters其他过渡接头